		UPS FOR MAC			
UPS FOR MAC Code	Models	Description	Pcs for pack.	Pcs for Pallet	End User Price
FGCIUPSOK9	iUps 900VA	iUps 900 VA optimized for iMac 21,5" and 27", PURE SINEWAVE LINE INTERACTIVE technology, designed with the innovative eco power system that thanks to the complete management of all chip functions, it optimizes consumption and increases the efficiency of battery recharge, saving up to 50% power compared with traditional chargers. Equipped with 1 Schuko type protected output socket for black- out, dynamic Undervoltage/Overvoltage, Undervoltage/Overvoltage for iMac protection and 1 filtered output socket for spikes and surges for peripherals protection. LCD display, USB interface (USB cable included), ViewPower software Mac OS X compatible (downloadable free of charge on www.tecnoware.com) white colour, dimensions 10x14.5x32,8 cm, weight 5,2 Kg, autonomy 8 min, 1 battery 12Vdc 7Ah Standard Warranty: 12 Months		48	€ 214,00
FGCUPSPRO1K5	Ups Pro 1500VA	Ups Pro 1500 VA optimized for Mac Pro, PURE SINEWAVE LINE INTERACTIVE technology, designed with the innovative eco power system that thanks to the complete management of all chip functions, it optimizes consumption and increases the efficiency of battery recharge, saving up to 50% power compared with traditional chargers. Equipped with 2 Schuko type protected output socket for black- out, dynamic Undervoltage/Overvoltage, Undervoltage/Overvoltage for Mac Pro and monitor protection and 2 filtered output socket for spikes and surges for peripherals protection. LCD display, USB interface (USB cable included), ViewPower software Mac OS X compatible (downloadable free of charge on www.tecnoware.com) white colour, dimensions 14,6x16x35 cm, weight 9,5 Kg, autonomy 15 min, 2 batteries 12Vdc 7Ah Standard Warranty: 12 Months		27	€ 428,00

		UPS EASY INTERACTIVE			
UPS ECO			Pcs for	Pcs for	End User
Code	Models	Description	pack.	Pallet	Price
FGCECO0K50	UPS ECO 0.50	Ups single-phase 500 VA, eco power system technology, easy interactive, two IEC type output socket blackout protected, included two IEC cables, dimensions 20,7x8,3x22,8 cm, weight 2,5 Kg, autonomy 10 min, 1 battery 12Vdc 4.5Ah Standard Warranty: 24 Months Electronic Parts / 24 Months Battery	6	72	€ 63,00
FGCEC00K70	UPS ECO 0.70	Ups single-phase 700 VA, eco power system technology, easy interactive, two IEC type output socket blackout protected, included two IEC cables, dimensions 20,7x8,3x22,8 cm, weight 2,6 Kg, autonomy 10 min, 1 battery 12Vdc SAh Standard Warranty: 24 Months Electronic Parts / 24 Months Battery	6	72	€ 71,00
FGCEC0702	UPS ECO 0.70	Ups single-phase 700 VA, eco power system technology, easy interactive, 2 Schuko/Italian 10 A type	6	72	€ 71,00
80" 26475" 16440" 7		output socket blackout protected, included 1 input power cable, dimensions 20,7x8,3x22,8 cm, weigh 2,6 Kg, autonomy 10 min, 1 battery 12Vdc 5Ah Standard Warranty: 24 Months Electronic Parts / 24 Months Battery		1	News
FGCECO902	UPS ECO 0.90	Standard Warranty: 24 Months Electronic Parts / 24 Months Battery Ups single-phase 900 VA, eco power system technology, easy interactive, 2 Schuko/Italian 10 A type output socket blackout protected, included 1 input power cable, dimensions 20,7x8,3x22,8 cm, weight 3,5 Kg, autonomy 10 min, 1 battery 12Vdc 7.2Ah Standard Warranty: 24 Months Electronic Parts / 24 Months Battery	6 t	72	€ 84,00 News
FGCECO1K1	UPS ECO 1.1	Ups single-phase 1100 VA, eco power system technology, easy interactive, two IEC type output socket blackout protected, included two IEC cables, dimensions 20,7x8,3x22,8 cm, weight 3,6 Kg, autonomy 10 min, 1 battery 12Vdc 7.2Ah Standard Warranty: 24 Months Electronic Parts / 24 Months Battery	6	72	€ 109,00
UPS ECO STRIP			Pcs for	Pcs for	End User
Code	Models	Description	pack.	Pallet	Price
FGCECOSTOK70	UPS ECO STRIP 0.70	UPS ECO STRIP 700 VA, EASY INTERACTIVE TECHNOLOGY, OPTIMIZED FOR PC, NOTEBOOK AND MODEM/ROUTER, DESIGNED WITH THE INNOVATIVE ECO POWER SYSTEM THAT THANKS TO THE COMPLETE MANAGEMENT OF ALL CHIP FUNCTIONS, IT OPTIMIZES CONSUMPTION AND INCREASES THE EFFICIENCY OF BATTERY RECHARGE, SAVING UP TO 50% POWER COMPARED WITH TRADITIONAL CHARGERS. 2 BLACK-OUT PROTECTED OUTPUT SCHUKO/ITALIAN 10 A SOCKET, 1 FILTERED OUTPUT SCHUKO/ITALIAN 10 A SOCKET. RJ11 PLUG TELEPHONE/MODEM PROTECTION. DIMENSIONS 20X9.3X23 CM, WEIGHT 2.9 KG, AUTONOMY 10/120 MIN DEPENDING ON LOAD, 1 BATTERY 12VDC 4.5AH Standard Warranty: 24 Months Electronic Parts / 24 Months Battery	6	72	€ 93,00

		UPS EASY INTERACTIVE				
UPS ECO STRIP Code	Models	Description	Pcs for pack.	Pcs for Pallet	E	nd User Price
FGCECOSTOK90	UPS ECO STRIP 0.90	UPS ECO STRIP 900 VA, EASY INTERACTIVE TECHNOLOGY, OPTIMIZED FOR PC, NOTEBOOK AND MODEM/ROUTER, DESIGNED WITH THE INNOVATIVE ECO POWER SYSTEM THAT THANKS TO THE COMPLETE MANAGEMENT OF ALL CHIP FUNCTIONS, IT OPTIMIZES CONSUMPTION AND INCREASES THE EFFICIENCY OF BATTERY RECHARGE, SAVING UP TO 50% POWER COMPARED WITH TRADITIONAL CHARGERS. 2 BLACK-OUT PROTECTED OUTPUT SCHUKO/ITALIAN 10 A SOCKET, 1 FILTERED OUTPUT SCHUKO/ITALIAN 10 A SOCKET. USB INTERFACE, INCLUDED UPSILON 2000 SOFTWARE, DOWNLOADABLE FREE OF CHARGE FROM www.tecnoware.com . RJ11 PLUG TELEPHONE/MODEM PROTECTION. DIMENSIONS 20X9.3X23 CM, WEIGHT 3.8 KG, AUTONOMY 10/120 MIN DEPENDING ON LOAD, 1 BATTERY 12VDC 7.2AH Standard Warranty: 24 Months Electronic Parts / 24 Months Battery	6	72	€	116,00
FGCECOST1K1	UPS ECO STRIP 1.1	UPS ECO STRIP 1100 VA, EASY INTERACTIVE TECHNOLOGY, OPTIMIZED FOR PC, NOTEBOOK AND MODEM/ROUTER, DESIGNED WITH THE INNOVATIVE ECO POWER SYSTEM THAT THANKS TO THE COMPLETE MANAGEMENT OF ALL CHIP FUNCTIONS, IT OPTIMIZES CONSUMPTION AND INCREASES THE EFFICIENCY OF BATTERY RECHARGE, SAVING UP TO 50% POWER COMPARED WITH TRADITIONAL CHARGERS. 4 BLACK-OUT PROTECTED OUTPUT SCHUKO/ITALIAN 10 A SOCKET, 1 FILTERED OUTPUT SCHUKO/ITALIAN 10 A SOCKET. USB INTERFACE, INCLUDED UPSILON 2000 SOFTWARE, DOWNLOADABLE FREE OF CHARGE FROM www.tecnoware.com . RJ11 PLUG TELEPHONE/MODEM PROTECTION. DIMENSIONS 20X9.3X23 CM, WEIGHT 4.1 KG, AUTONOMY 10/120 MIN DEPENDING ON LOAD, 1 BATTERY 12VDC 7.2AH Standard Warranty: 24 Months Electronic Parts / 24 Months Battery	6	72	€	162,00
FGCECOST1K3	UPS ECO STRIP 1.3	UPS ECO STRIP 1300 VA, EASY INTERACTIVE TECHNOLOGY, OPTIMIZED FOR PC, NOTEBOOK AND MODEM/ROUTER, DESIGNED WITH THE INNOVATIVE ECO POWER SYSTEM THAT THANKS TO THE COMPLETE MANAGEMENT OF ALL CHIP FUNCTIONS, IT OPTIMIZES CONSUMPTION AND INCREASES THE EFFICIENCY OF BATTERY RECHARGE, SAVING UP TO 50% POWER COMPARED WITH TRADITIONAL CHARGERS. 4 BLACK-OUT PROTECTED OUTPUT SCHUKO/ITALIAN 10 A SOCKET, 1 FILTERED OUTPUT SCHUKO/ITALIAN 10 A SOCKET. USB INTERFACE, INCLUDED UPSILON 2000 SOFTWARE, DOWNLOADABLE FREE OF CHARGE FROM www.tecnoware.com . RJ11 PLUG TELEPHONE/MODEM PROTECTION. DIMENSIONS 20X9.3X23 CM, WEIGHT 4.5 KG, AUTONOMY 10/120 MIN DEPENDING ON LOAD, 1 BATTERY 12VDC 9AH Standard Warranty: 24 Months Electronic Parts / 24 Months Battery	6	72	£	186,00

UPS LINE INTERACTIVE

LEONARDO INNO	VATIVE POWER S	YSTEM	Pcs for	Pcs for	End User
Code	Models	Description	pack.	Pallet	Price
FGCLE01200	LEONARDO INNOVATIVE POWER SYSTEM 1200	ELECTRIFIED COMPUTER CART, WITH 4 ELECTRIC OUTLETS, PROTECTION FROM EXCESS VOLTAGE, RJ45/11 FILTER, AND CABLE-HOLDER COLUMN.+ UPS SINGLE-PHASE, POWER 600 VA (C.FI 0,7), LINE INTERACTIVE TECHNOLOGY, 220/230 V, 50/60 HZ, AVR, AUTONOMY FROM 5 TO 30 MINUTES, RJ45/RJ1 FILTERED PHONE PLUG, 1 R5232 PORT, 1 USB PORT, WINPOWER SOFTWARE DOWNLOADABLE FREE OF CHARGE FROM www.tecnoware.com, DIMENSIONS (LXHxP) 21x68x66 CM (INCLUDING REAR COLUMN), WEIGHT 14 KG, 2 UPS OUTLETS (IEC TYPE), 1 UPS OUTLET (SCHUKO TYPE), 1 FILTERED OUTLET (SCHUKO TYPE), SILVER+BLACK COLOUR, REMOTE CONTROL. Standard Warranty: 24 Months Electronic Parts / 24 Months Battery	1	40	€ 295,00

UPS ERA LED Code	Models	Description	Pcs for pack.	Pcs for Pallet	End User Price
FGCERALED652	UPS ERA LED 0.65	UPS Era LED 650 VA, designed with the innovative eco power system that thanks to the complete management of all chip functions, it optimizes consumption and increases the efficiency of battery	4	⁴ 64	€ 85,00
80"26475"16444"5		recharge, saving up to 50% power compared with traditional chargers. Equipped with 4 protected output socket for black-out, dynamic Undervoltage/Overvoltage, Undervoltage/Overvoltage. Equipped with LED for status functioning, USB interface, included Viewpower software for scheduling ON/OFF and UPS control (downloadable free of charge on www.tecnoware.com). Dimensions 10x14x28 cm, weight 3,7 Kg, autonomy 10 min, 1 battery 12Vdc 4,5Ah Standard Warranty: 24 Months Electronic Parts / 24 Months Battery			
FGCERALED852	UPS ERA LED 0.85	UPS Era LED 850 VA, designed with the innovative eco power system that thanks to the complete management of all chip functions, it optimizes consumption and increases the efficiency of battery	4	64	€ 105,00
		recharge, saving up to 50% power compared with traditional chargers. Equipped with 4 protected output socket for black-out dynamic Undervoltane (Overvoltane Undervoltane (Overvoltane Overvoltane)			New

80¹¹ 26475¹¹ 16445¹¹ 2

UPS Era LED 850 VA, designed with the innovative eco power system that thanks to the complete management of all chip functions, it optimizes consumption and increases the efficiency of battery recharge, saving up to 50% power compared with traditional chargers. Equipped with 4 protected output socket for black-out, dynamic Undervoltage/Overvoltage, Undervoltage/Overvoltage. Equipped with LED for status functioning, USB interface, included Viewpower software for scheduling ON/OFF and UPS control (downloadable free of charge on www.tecnoware.com). Dimensions 10x14x28 cm, weight 4,5 Kg, autonomy 10 min, 1 battery 12Vdc 7,2Ah Standard Warranty: 24 Months Electronic Parts / 24 Months Battery

UPS LINE INTERACTIVE

UPS ERA LED					En	End User	
Code	Models	Description	pack.	Pallet	F	Price	
FGCERALED1102	UPS ERA LED 1.1	UPS Era LED 1100 VA, designed with the innovative eco power system that thanks to the complete management of all chip functions, it optimizes consumption and increases the efficiency of battery	4	64	€ ⁻	170,00	
80 26475 16446 9		recharge, saving up to 50% power compared with traditional chargers. Equipped with 4 protected output socket for black-out, dynamic Undervoltage/Overvoltage, Undervoltage/Overvoltage. Equipped with LED for status functioning, USB interface, included Viewpower software for scheduling ON/OFF and UPS control (downloadable free of charge on www.tecnoware.com). Dimensions 10x14x28 cm, weight 5 Kg, autonomy 10 min, 1 battery 12Vdc 9Ah Standard Warranty: 24 Months Electronic Parts / 24 Months Battery				News	

UPS ERA LCD Code	Models	Description	Pcs for pack.	Pcs for Pallet	E	nd User Price
FGCERALCD652	UPS ERA LCD 0.65	UPS Era LCD 650 VA, designed with the innovative eco power system that thanks to the complete management of all chip functions, it optimizes consumption and increases the efficiency of battery recharge, saving up to 50% power compared with traditional chargers. Equipped with 2 protected output socket for black-out, dynamic Undervoltage/Overvoltage, Undervoltage/Overvoltage and 1 filtered output socket. LCD display, USB interface, included Viewpower software for scheduling ON/OFI and UPS control (downloadable free of charge on www.tecnoware.com). RJ11 plug for telephone/modem protection. Dimensions 14x12x28 cm, weight 5,5 Kg, autonomy 10 min, 1 battery 12Vdc 4,5Ah Standard Warranty: 24 Months Electronic Parts / 24 Months Battery	3	48	€	111,00 News
FGCERALCD852	UPS ERA LCD 0.85	UPS Era LCD 850 VA, designed with the innovative eco power system that thanks to the complete management of all chip functions, it optimizes consumption and increases the efficiency of battery recharge, saving up to 50% power compared with traditional chargers. Equipped with 2 protected output socket for black-out, dynamic Undervoltage/Overvoltage, Undervoltage/Overvoltage and 1 filtered output socket. LCD display, USB interface, included Viewpower software for scheduling ON/OFI and UPS control (downloadable free of charge on www.tecnoware.com). RJ11 plug for telephone/modem protection. Dimensions 14x12x28 cm, weight 6 Kg, autonomy 10 min, 1 battery 12Vdc 7,2Ah Standard Warranty: 24 Months Electronic Parts / 24 Months Battery	3	48	€	135,00 News
FGCERALCD1102	UPS ERA LCD 1.1	UPS Era LCD 1100 VA, designed with the innovative eco power system that thanks to the complete management of all chip functions, it optimizes consumption and increases the efficiency of battery recharge, saving up to 50% power compared with traditional chargers. Equipped with 2 protected output socket for black-out, dynamic Undervoltage/Overvoltage, Undervoltage/Overvoltage and 1 filtered output socket. LCD display, USB interface, included Viewpower software for scheduling ON/OFI and UPS control (downloadable free of charge on www.tecnoware.com). RJ11 plug for telephone/modem protection. Dimensions 14x12x28 cm, weight 6,5 Kg, autonomy 10 min, 1 battery 12Vdc 9Ah Standard Warranty: 24 Months Electronic Parts / 24 Months Battery	3	48	€	198,00 News
FGCERALCD1502	UPS ERA LCD 1.5	UPS Era LCD 1500 VA, designed with the innovative eco power system that thanks to the complete management of all chip functions, it optimizes consumption and increases the efficiency of battery recharge, saving up to 50% power compared with traditional chargers. Equipped with 4 protected output socket for black-out, dynamic Undervoltage/Overvoltage, Undervoltage/Overvoltage and 2 filtered output socket. LCD display, USB interface, included Viewpower software for scheduling ON/OFI and UPS control (downloadable free of charge on www.tecnoware.com). RJ11/45 plug telephone/modem protection. Dimensions 14,5x20x38 cm, weight 13,8 Kg, autonomy 10 min, 2 batteries 12Vdc 7Ah Standard Warranty: 24 Months Electronic Parts / 24 Months Battery	1	21	€	262,00 News
FGCERALCD2002	UPS ERA LCD 2.0	UPS Era LCD 2000 VA, designed with the innovative eco power system that thanks to the complete management of all chip functions, it optimizes consumption and increases the efficiency of battery recharge, saving up to 50% power compared with traditional chargers. Equipped with 4 protected output socket for black-out, dynamic Undervoltage/Overvoltage, Undervoltage/Overvoltage and 2 filtered output socket. LCD display, USB interface, included Viewpower software for scheduling ON/OFI and UPS control (downloadable free of charge on www.tecnoware.com). RJ11/45 plug telephone/modem protection. Dimensions 14,5x20x38 cm, weight 14,2 Kg, autonomy 10 min, 2 batteries 12Adc 9Ah Standard Warranty: 24 Months Electronic Parts / 24 Months Battery	1	21	€	352,00 News
FGCERALCD2602	UPS ERA LCD 2.6	UPS Era LCD 2600 VA, designed with the innovative eco power system that thanks to the complete management of all chip functions, it optimizes consumption and increases the efficiency of battery recharge, saving up to 50% power compared with traditional chargers. Equipped with 4 black-out protected output socket for black-out, dynamic Undervoltage/Overvoltage, Undervoltage/Overvoltage and 2 filtered output socket. LCD display, USB interface, included Viewpower software for scheduling ON/OFF and UPS control (downloadable free of charge on www.tecnoware.com). RJ11/45 plug telephone/modem protection. Dimensions 14,5x20x38 cm, weight 16 Kg, autonomy 10 min, 2 batteries 12Vdc 9Ah Standard Warranty: 24 Months Electronic Parts / 24 Months Battery	1	21	€	432,00 News

UPS LINE INTERACTIVE RM

UPS ERA LCD RM	l		Pcs for	Pcs for	End User
Code	Models	Description	pack.	Pallet	Price
FGCERALCD1K1RM	UPS ERA LCD 1.1 RACK MOUNT	UPS Era LCD 1100 VA, equipped with 4 protected output socket for black-out, dynamic Undervoltage/Overvoltage, Undervoltage/Overvoltage. LCD display for system functioning, USB and RS232 interface, included upsilon 2000 software for scheduling ON/OFF and UPS control (downloadable free of charge on www.tecnoware.com). RJ11 plug for telephone/modem protection. 19" Rack positioning (for a correct installation is required the mounting kit not provided with UPS). Dimensions 43,8x8,8x31 cm (2 U Rack), weight 6,5 Kg, autonomy 10 min, 1 battery 12Vdc 8Ah Standard Warranty: 24 Months Electronic Parts / 24 Months Battery	1	20	€ 320,00

UPS LINE INTERACTIVE PURE SINEWAVE

UPS EXA Code	Models	Description	Pcs for pack.	Pcs for Pallet	End User Price
FGCEXA1K1	UPS EXA 1.1	Description UPS EXA 1100 VA, PURE SINEWAVE LINE INTERACTIVE TECHNOLOGY, DESIGNED WITH THE INNOVATIVE ECO POWER SYSTEM THAT THANKS TO THE COMPLETE MANAGEMENT OF ALL CHIP FUNCTIONS, IT OPTIMIZES CONSUMPTION AND INCREASES THE EFFICIENCY OF BATTERY RECHARGE, SAVING UP TO 50% POWER COMPARED WITH TRADITIONAL CHARGERS. 3 BLACK-OUT PROTECTED OUTPUT SOCKET, 1 FILTERED OUTPUT SOCKET. LCD DISPLAY, USB AND RS232 INTERFACES, INCLUDED UPSILON 2000 SOFTWARE, DOWNLOADABLE FREE OF CHARGE FROM www.tecnoware.com . RJ11 PLUG TELEPHONE/MODEM PROTECTION. DIMENSIONS 14.5X21.5X36 CM, WEIGHT 14.5 KG, AUTONOMY 12 MIN 2 BATTERIES 12VDC 7AH Standard Warranty: 24 Months Electronic Parts / 24 Months Battery	1	30	€ 283,00
FGCEXA1K5	UPS EXA 1.5	UPS Exa 1500 VA, PURE SINEWAVE LINE INTERACTIVE technology, designed with the innovative eco power system that thanks to the complete management of all chip functions, it optimizes consumption and increases the efficiency of battery recharge, saving up to 50% power compared with traditional chargers. 3 black-out protected output socket, 1 filtered output socket. LCD display, USB and RS232 interfaces, included UPSilon2000 software, downloadable free of charge from www.tecnoware.com . RJ11 plug telephone/modem protection. Dimensions 14,5x21,5x36 cm, weight 15,5 Kg, autonomy 10 min, 2 batteries 12Vdc 7Ah Standard Warranty: 24 Months Electronic Parts / 24 Months Battery	1	30	€ 340,00
FGCEXA2K2	UPS EXA 2.2	UPS Exa 2200 VA, PURE SINEWAVE LINE interactive technology, designed with the innovative eco powe system that thanks to the complete management of all chip functions, it optimizes consumption and increases the efficiency of battery recharge, saving up to 50% power compared with traditional chargers. 3 black-out protected output socket, 1 filtered output socket. LCD display, USB and RS232 interfaces, included UPSilon 2000 software, downloadable free of charge from www.tecnoware.com . RJ11 plug telephone/modem protection. Dimensions 14,5x21,5x36 cm, weight 16,5 Kg, autonomy 8 min, 2 batteries 12Vdc 8Ah Standard Warranty: 24 Months Electronic Parts / 24 Months Battery	r 1	30	€ 453,00
FGCEXA2K6	UPS EXA 2.6	UPS Exa 2600 VA, PURE SINEWAVE LINE interactive technology, designed with the innovative eco powe system that thanks to the complete management of all chip functions, it optimizes consumption and increases the efficiency of battery recharge, saving up to 50% power compared with traditional chargers. 4 black-out protected output socket. LCD display, USB and RS232 interfaces, included UPSilon2000 software, downloadable free of charge from www.tecnoware.com . RJ11 plug telephone/modem protection. Dimensions 14,5x21,5x43 cm, weight 18,5 Kg, autonomy 8 min, 3 batteries 12Vdc 8Ah Standard Warranty: 24 Months Electronic Parts / 24 Months Battery	r 1	30	€ 566,00
FGCEXA3K2	UPS EXA 3.2	UPS Exa 3200 VA, PURE SINEWAVE LINE interactive technology, designed with the innovative eco powe system that thanks to the complete management of all chip functions, it optimizes consumption and increases the efficiency of battery recharge, saving up to 50% power compared with traditional chargers. 4 black-out protected output socket. LCD display, USB and R2322 interfaces, included upsilo 2000 software, downloadable free of charge from www.tecnoware.com . RJ11 plug telephone/modem protection. Dimensions 14,5x21,5x43 cm, weight 19,5 Kg, autonomy 6 min, 3 batteries 12Vdc 8Ah Standard Warranty: 24 Months Electronic Parts / 24 Months Battery	ı	30	€ 680,00

UPS LINE INTERACTIVE PURE SINEWAVE RM

UPS EXA RM Code	Models	Description	Pcs for pack.	Pcs for Pallet	End User Price
FGCEXA1K5RM	UPS EXA 1.5 RACK MOUNT	UPS Exa Rack Mount 1500 VA PURE SINEWAVE LINE INTERACTIVE technology, equipped with 4 protected output socket for black-out, dynamic Undervoltage/Overvoltage, Undervoltage/Overvoltage. LCD display for system functioning, USB and RS232 interface, included upsilon 2000 software for scheduling ON/OFF and UPS control (downloadable free of charge on www.tecnoware.com). RJ11 plug for telephone/modem protection. 19" Rack positioning (for a correct installation is required the mounting kit not provided with UPS). Dimensions 43,8x8,8x31 cm (2 U Rack), weight 15,5 Kg, autonomy 10 min, 2 batteries 12Vdc 7Ah Standard Warranty: 24 Months Electronic Parts / 24 Months Battery		20	€ 534,00

UPS LINE INTERACTIVE PURE SINEWAVE RM

UPS EXA RM Code	Models	Description	Pcs for pack.	Pcs for Pallet	End User Price
FGCEXA3K2RM	UPS EXA 3.2 RACK MOUNT	UPS Exa Rack Mount 3200 VA PURE SINEWAVE LINE INTERACTIVE technology, equipped with 6 protected output socket for black-out, dynamic Undervoltage/Overvoltage, Undervoltage/Overvoltage. LCD display for system functioning, USB and RS232 interface, included upsilon 2000 software for scheduling ON/OFF and UPS control (downloadable free of charge on www.tecnoware.com). RJ11 plug for telephone/modem protection. 19" Rack positioning (for a correct installation is required the mounting kit not provided with UPS). Dimensions 43,8x13,2x36 cm (3 U Rack), weight 19,5 Kg, autonomy 6 min, 3 batteries 12Vdc 8Ah Standard Warranty: 24 Months Electronic Parts / 24 Months Battery		16	€ 855,00

UPS ON LINE SINGLE PHASE

	• TO 3.6 KVA AND E		Pcs for	Pcs for	Ei	nd User Price
Code FGCEVODS1K2MM	Models UPS EVO DSP 1.2 MM	Description UPS SINGLE-PHASE/SINGLE-PHASE 230/230 50/60HZ, POWER 1.2 KVA, COS 0,7, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, MICROPROCESSOR DRIVED BATTERY CHARGE SYSTEM, STATIC BYPASS, RS232 AND USB, INTELLIGENT SLOT FOR SNMP O DRY CONTACT (OPTIONALS), WEIGHT 13 KG, DIMENSIONS 15X22X40 CM, WITH 3 BATTERIES 12VDC 7.2AH, AUTONOMY 10 MIN Standard Warranty: 24 Months Electronic Parts / 12 Months Battery	pack. 1	Pallet 21	€	579,00
FGCEVODS2K4MM	UPS EVO DSP 2.4 MM	UPS SINGLE-PHASE/SINGLE-PHASE 230/230 50/60HZ, POWER 2.4 KVA, COS 0,7, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, MICROPROCESSOR DRIVED BATTERY CHARGE SYSTEM, STATIC BYPASS, RS232 AND USB, INTELLIGENT SLOT FOR SNMP O DRY CONTACT (OPTIONALS), WEIGHT 26 KG, DIMENSIONS 19X32X42 CM, WITH 6 BATTERIES 12VDC 7.2AH, AUTONOMY 10 MIN Standard Warranty: 24 Months Electronic Parts / 12 Months Battery	1	8	€ 1.	.030,00
FGCEVODS3K6MM	UPS EVO DSP 3.6 MM	UPS SINGLE-PHASE/SINGLE-PHASE 230/230 50/60HZ, POWER 3.6 KVA, COS 0,7, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, MICROPROCESSOR DRIVED BATTERY CHARGE SYSTEM, STATIC BYPASS, RS232 AND USB, INTELLIGENT SLOT FOR SNMP O DRY CONTACT (OPTIONALS), WEIGHT 28 KG, DIMENSIONS 19X32X42 CM, WITH 6 BATTERIES 12VDC 9AH, AUTONOMY 8 MIN Standard Warranty: 24 Months Electronic Parts / 12 Months Battery	1	8	€ 1.	.204,00
FBBEVODS36/00		BATTERY BOX FOR EVO DSP 1.2 KVA NO BATTERY Standard Warranty: 24 Months Electronic Parts	1		€	630,00
FBBEVODS36/14	DSP 1.2 KVA 6	BATTERY BOX FOR EVO DSP 1.2 KVA 6 BATTERIES 12VDC 7.2AH, DIMENSIONS (LxHxP) 19 x 33.5 x 52.7 CM, WEIGHT 26 KG I Standard Warranty: 24 Months Electronic Parts / 12 Months Battery	1		€	892,00
FBBEVODS36/28	DSP 1.2 KVA 12	BATTERY BOX FOR EVO DSP 1.2 KVA 12 BATTERIES 12VDC 7.2AH, DIMENSIONS (LxHxP) 19 x 33.5 x 52.7 CM, WEIGHT 38 KG Standard Warranty: 24 Months Electronic Parts / 12 Months Battery	1		€ 1.	.065,00
FBBEVODS72/00	BATTERY BOX FOR EVO DSP 2.4-3.6 KVA WITHOUT BATTERIES	BATTERY BOX FOR EVO DSP 2.4-3.6 KVA NO BATTERY Standard Warranty: 24 Months Electronic Parts	1		€	630,00

UPS EVO DSP I	JP TO 3.6 KVA AND	BATTERY BOX	Des fait	Desfer	Fad Here
			Pcs for pack.	Pcs for Pallet	End User Price
Code FBBEVODS72/07	DSP 2.4-3.6 KVA 6	Description BATTERY BOX FOR EVO DSP 2.4 KVA 6 BATTERIES 12VDC 7.2 AH, DIMENSIONS (LxHxP) 19 x 33.5 x 52.7 CM, WEIGHT 26 KG I Standard Warranty: 24 Months Electronic Parts / 12 Months Battery	1 1	rallet	€ 892,00
					- 3)-
FBBEVODS72/14	DSP 2.4-3.6 KVA 12	BATTERY BOX FOR EVO DSP 2.4 KVA 12 BATTERIES 12VDC 7.2AH, DIMENSIONS (LxHxP) 19 x 33.5 x 52.7 CM, WEIGHT 38 KG I Standard Warranty: 24 Months Electronic Parts / 12 Months Battery	1	•	€ 1.146,00
FBBEVODS72/21	DSP 2.4-3.6 KVA 18	BATTERY BOX FOR EVO DSP 2.4 KVA 18 BATTERIES 12VDC 7.2AH, DIMENSIONS (LxHxP) 19 x 33.5 x 52.7 CM, WEIGHT 50 KG I Standard Warranty: 24 Months Electronic Parts / 12 Months Battery	1	•	€ 1.413,00
FBBEVODS72/09	BATTERY BOX FOR EVO DSP 2.4-3.6 KVA 6 BATTERIES12VDC 9AH	BATTERY BOX FOR EVO DSP 3.6 KVA 6 BATTERIES 12VDC 9AH, DIMENSIONS (LxHxP) 19 x 33.5 x 52.7 CM WEIGHT 29 KG Standard Warranty: 24 Months Electronic Parts / 12 Months Battery	, 1	:	€ 1.019,00
FBBEVODS72/18	BATTERY BOX FOR EVO DSP 2.4-3.6 KVA 12 BATTERIES 12VDC 9AH	BATTERY BOX FOR EVO DSP 3.6 KVA 12 BATTERIES 12VDC 9AH, DIMENSIONS (LxHxP) 19 x 33.5 x 52.7 CM, WEIGHT 44 KG Standard Warranty: 24 Months Electronic Parts / 12 Months Battery	1	:	€ 1.401,00
FBBEVODS72/27	BATTERY BOX FOR EVO DSP 2.4-3.6 KVA 18 BATTERIES 12VDC 9AH	BATTERY BOX FOR EVO DSP 3.6 KVA 18 BATTERIES 12VDC 9AH, DIMENSIONS (LxHxP) 19 x 33.5 x 52.7 CM, WEIGHT 59 KG Standard Warranty: 24 Months Electronic Parts / 12 Months Battery	1	1	€ 1.782,00

Box Battery Backup Time Configuration

Code	Description		Qty	End User Price
EVO DSP MM 1	.2 35 minutes			
FGCEVODS1K2MM	UPS EVO DSP 1.2 MM		1	€ 579,00
FBBEVODS36/14	BOX BATTERY PER EVO DSP 1.2 KVA 6 BATTERIE 12VDC 7.2AH		1	€ 892,00
		Tot.	€	1.471,00
EVO DSP MM 1	.2 80 minutes			
FGCEVODS1K2MM	UPS EVO DSP 1.2 MM		1	€ 579,00
FBBEVODS36/28	BOX BATTERY PER EVO DSP 1.2 KVA 12 BATTERIE 12VDC 7.2AH		1	€ 1.065,00
		Tot.	€	1.644,00
EVO DSP MM 2	.4 25 minutes			
FGCEVODS2K4MM	UPS EVO DSP 2.4 MM		1	€ 1.030,00
FBBEVODS72/07	BOX BATTERY PER EVO DSP 2.4 KVA 6 BATTERIE 12VDC 7.2AH		1	€ 892,00
		Tot.	€	1.922,00
EVO DSP MM 2	.4 35 minutes			
FGCEVODS2K4MM	UPS EVO DSP 2.4 MM		1	€ 1.030,00
FBBEVODS72/14	BOX BATTERY PER EVO DSP 2.4 KVA 12 BATTERIE 12VDC 7.2AH		1	€ 1.146,00
		Tot.	€	2.176,00
EVO DSP MM 2	.4 60 minutes			
FGCEVODS2K4MM	UPS EVO DSP 2.4 MM		1	€ 1.030,00
FBBEVODS72/21	BOX BATTERY PER EVO DSP 2.4 KVA 18 BATTERIE 12VDC 7.2AH		1	€ 1.413,00

- 12

		UPS ON LINE SINGLE PHASE			
UPS EVO DSP U	P TO 3.6 KVA AND	BATTERY BOX	Pcs for	Pcs for	End User
Code	Models	Description	pack.	Pallet	Price
	EVO DSP MM 2.4	60 minutes			
			Tot.	€ 2	.443,00
	EVO DSP MM 3.6				
	FGCEVODS3K6MM	UPS EVO DSP 3.6 MM		1	€ 1.204,00
	FBBEVODS72/09	BOX BATTERY PER EVO DSP 3.6 KVA 6 BATTERIE 12VDC 9AH		1	€ 1.019,00
			Tot.	€ 2	.223,00
	EVO DSP MM 3.6				
	FGCEVODS3K6MM FBBEVODS72/18	UPS EVO DSP 3.6 MM BOX BATTERY PER EVO DSP 3.6 KVA 12 BATTERIE 12VDC 9AH		1 1	€ 1.204,00 € 1.401,00
	1002400372718	DOV DATTERT FER EVO DJF 3.0 RVA 12 DATTERE 1240C 741			
			Tot.	€ 2	.605,00
	EVO DSP MM 3.6				6 4 6 6 4 6 6
	FGCEVODS3K6MM FBBEVODS72/27	UPS EVO DSP 3.6 MM BOX BATTERY PER EVO DSP 3.6 KVA 18 BATTERIE 12VDC 9AH		1	€ 1.204,00 € 1.782,00
			-		
			Tot.	€ 2	.986,00
UPS EVO DSP FI	ROM 6 TO 10 KVA .	AND BATTERY BOX	Pcs for	Pcs for	End User
Code	Models		pack.	Pallet	Price
FGCEVODS06MM/00	UPS EVO DSP 6.0 MM WITHOUT BATTERIES	UPS SINGLE-PHASE/SINGLE-PHASE 230/230 50/60HZ, POWER 6 KVA, COS 0,8, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM,	1	1	€ 2.351,00
		MULTIFUNCTION LCD DISPLAY, MICROPROCESSOR DIRVED BATTERY CHARGE SYSTEM, STATIC AND MANUAL BYPASS, RS232 AND USB, INTELLIGENT SLOT FOR SNMP O DRY CONTACT (OPTIONALS), WEIGH	т		
		34 KG, DIMENSIONS 25x57.6x55.5 CM, WITHOUT BATTERIES, PREPARED FOR 20 BATTERIES 7.2-9-11AH	-		
		Standard Warranty: 24 Months Electronic Parts / 12 Months Battery			And in case of the local division of the loc
FGCEVODS06MM/B		0 UPS SINGLE-PHASE/SINGLE-PHASE 230/230 50/60HZ, POWER 6 KVA, COS 0,8, ONLINE DOUBLE	1		<u> </u>
FGCEVOD300mm/B	BATTERIES 12VDC 5AH	CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM,	I	1	€ 3.193,00
		MULTIFUNCTION LCD DISPLAY, MICROPROCESSOR DIRVED BATTERY CHARGE SYSTEM, STATIC AND MANUAL BYPASS, RS232 AND USB, INTELLIGENT SLOT FOR SNMP O DRY CONTACT (OPTIONALS), WEIGH	т		
		70 KG, DIMENSIONS 25x57.6x55.5 CM, 20 BATTERIES 12VDC 5AH Standard Warranty: 24 Months Electronic Parts / 12 Months Battery			+
		Standard Warranty. 24 Month's Electronic Fails / 12 Month's Daterry			
FGCEVODS06MM/C	LIPS EVO DSP 6.0 MM 2	0 UPS SINGLE-PHASE/SINGLE-PHASE 230/230 50/60HZ, POWER 6 KVA, COS 0,8, ONLINE DOUBLE	1	1	€ 3.332,00
002702000.000		H CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM,	·	1	£ 3.332,00
		MULTIFUNCTION LCD DISPLAY, MICROPROCESSOR DIRVED BATTERY CHARGE SYSTEM, STATIC AND MANUAL BYPASS, RS232 AND USB, INTELLIGENT SLOT FOR SNMP O DRY CONTACT (OPTIONALS), WEIGH	т		
		84 KG, DIMENSIONS 25x57.6x55.5 CM, 20 BATTERIES 12VDC 7.2AH Standard Warranty: 24 Months Electronic Parts / 12 Months Battery			
FGCEVODS06MM/D		0 UPS SINGLE-PHASE/SINGLE-PHASE 230/230 50/60HZ, POWER 6 KVA, COS 0,8, ONLINE DOUBLE	1	1	€ 3.748,00
	BATTERIES 12VDC 9AH	CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, MICROPROCESSOR DIRVED BATTERY CHARGE SYSTEM, STATIC AND			
		MANUAL BYPASS, RS232 AND USB, INTELLIGENT SLOT FOR SNMP O DRY CONTACT (OPTIONALS), WEIGH	т		-
		90 KG, DIMENSIONS 25x57.6x55.5 CM, 20 BATTERIES 12VDC 9AH Standard Warranty: 24 Months Electronic Parts / 12 Months Battery			
FGCEVODS06MM/E		0 UPS SINGLE-PHASE/SINGLE-PHASE 230/230 50/60HZ, POWER 6 KVA, COS 0,8, ONLINE DOUBLE	1	1	€ 3.921,00
	BATTERIES 12V 11Ah	CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, MICROPROCESSOR DIRVED BATTERY CHARGE SYSTEM, STATIC AND			
		MANUAL BYPASS, RS232 AND USB, INTELLIGENT SLOT FOR SNMP O DRY CONTACT (OPTIONALS), WEIGH 96 KG, DIMENSIONS 25x57.6x55.5 CM, 20 BATTERIES 12VDC 11AH	т		
		Standard Warranty: 24 Months Electronic Parts / 12 Months Battery			
FGCEVODS10MM/00	UPS EVO DSP 10.0 MM	UPS SINGLE-PHASE/SINGLE-PHASE 230/230 50/60HZ, POWER 10 KVA, COS 0,8, ONLINE DOUBLE	1	1	€ 3.258,00
	WITHOUT BATTERIES	CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, MICROPROCESSOR DIRVED BATTERY CHARGE SYSTEM, STATIC AND		-	-,
		MANUAL BYPASS, RS232 AND USB, INTELLIGENT SLOT FOR SNMP O DRY CONTACT (OPTIONALS), WEIGH 37 KG, DIMENSIONS 25x57.6x55.5 CM, WITHOUT BATTERIES, PREPARED FOR 20 BATTERIES 7.2-9-11AH	IT		- <u>-</u> -
		Standard Warranty: 24 Months Electronic Parts / 12 Months Battery			

		UPS ON LINE SINGLE PHASE				
	ROM 6 TO 10 KVA A		Pcs for	Pcs for		End User
Code FGCEVODS10MM/C	Models UPS EVO DSP 10.0 MM 20 BATTERIES 12VDC 7.2AH	Description UPS SINGLE-PHASE/SINGLE-PHASE 230/230 50/60HZ, POWER 10 KVA, COS 0,8, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, MICROPROCESSOR DIRVED BATTERY CHARGE SYSTEM, STATIC AND MANUAL BYPASS, R5232 AND USB, INTELLIGENT SLOT FOR SNMP O DRY CONTACT (OPTIONALS), WEIGHT 87 KG, DIMENSIONS 25x57.6x55.5 CM, 20 BATTERIES 12VDC 7.2AH Standard Warranty: 24 Months Electronic Parts / 12 Months Battery	pack. 1	Pallet 1		Price 4.245,00
FGCEVODS10MM/D	UPS EVO DSP 10.0 MM 20 BATTERIES 12VDC 9AH	UPS SINGLE-PHASE/SINGLE-PHASE 230/230 50/60HZ, POWER 10 KVA, COS 0,8, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, MICROPROCESSOR DIRVED BATTERY CHARGE SYSTEM, STATIC AND MANUAL BYPASS, RS232 AND USB, INTELLIGENT SLOT FOR SNMP O DRY CONTACT (OPTIONALS), WEIGHT 93 KG, DIMENSIONS 25x57.6x55.5 CM, 20 BATTERIES 12VDC 9AH Standard Warranty: 24 Months Electronic Parts / 12 Months Battery	1	1	€	4.661,00
FGCEVODS10MM/E	UPS EVO DSP 10.0 MM 20 BATTERIES 12VDC 11AH	UPS SINGLE-PHASE/SINGLE-PHASE 230/230 50/60HZ, POWER 10 KVA, COS 0,8, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, MICROPROCESSOR DIRVED BATTERY CHARGE SYSTEM, STATIC AND MANUAL BYPASS, RS232 AND USB, INTELLIGENT SLOT FOR SNMP O DRY CONTACT (OPTIONALS), WEIGHT 99 KG, DIMENSIONS 25x57.6x55.5 CM, 20 BATTERIES 12VDC 11AH Standard Warranty: 24 Months Electronic Parts / 12 Months Battery	1	1	€	4.834,00
FBBEVODS240/00	BATTERY BOX FOR EVO DSP MM 6-10KVA WITHOUT BATTERIES	BATTERY BOX FOR EVO DSP 6-10 KVA NO BATTERIES, PREPARED FOR 20-40-60 BATTERIES 7.2-9-11AH, DIMENSIONS (LXHXP) 25X57X79.5 CM, WEIGHT 35 KG Standard Warranty: 24 Months Electronic Parts	1		€	1.080,00
FBBEVODS240/07	MM 6-10KVA 20	BATTERY BOX FOR EVO DSP 6 KVA - 20 BATTERIES 12VDC 7.2AH, DIMENSIONS (LXHXP) 25X57X79.5 CM, WEIGHT 85 KG Standard Warranty: 24 Months Electronic Parts / 12 Months Battery	1		€	1.839,00
FBBEVODS240/14	DSP MM 6-10KVA 40	BATTERY BOX FOR EVO DSP 6 KVA - 40 BATTERIES 12VDC 7.2AH, DIMENSIONS (LXHXP) 25X57X79.5 CM, WEIGHT 125 KG Standard Warranty: 24 Months Electronic Parts / 12 Months Battery	1		€	2.591,00
FBBEVODS240/21	DSP MM 6-10KVA 60	BATTERY BOX FOR EVO DSP 10 KVA - 60 BATTERIES 12VDC 7.2AH, DIMENSIONS (LXHXP) 25X57X79.5 CM, WEIGHT 165 KG Standard Warranty: 24 Months Electronic Parts / 12 Months Battery	1		€	3.354,00
FBBEVODS240/09	BATTERY BOX FOR EVO DSP MM 6-10KVA 20 BATTERIES 12VDC 9AH	BATTERY BOX FOR EVO DSP 10 KVA - 20 BATTERIES 12VDC 9AH, DIMENSIONS (LXHXP) 25X57X79.5 CM, WEIGHT 80 KG Standard Warranty: 24 Months Electronic Parts / 12 Months Battery	1		€	2.256,00
FBBEVODS240/18	BATTERY BOX FOR EVO DSP MM 6-10KVA 40 BATTERIES 12VDC 9AH	BATTERY BOX FOR EVO DSP 10 KVA - 40 BATTERIES 12VDC 9AH, DIMENSIONS (LXHXP) 25X57X79.5 CM, WEIGHT 135 KG Standard Warranty: 24 Months Electronic Parts / 12 Months Battery	1		€	3.424,00

	04 6 70 40 1011	UPS ON LINE SINGLE PHASE			
UPS EVO DSP FR	ОМ 6 ТО 10 КУА А	ND BATTERY BOX	Pcs for	Pcs for	End User
Code	Models	Description	pack.	Pallet	Price
FBBEVODS240/27	BATTERY BOX FOR EVO DSP MM 6-10KVA 60 BATTERIES 12VDC 9AH	BATTERY BOX FOR EVO DSP 10 KVA - 60 BATTERIES 12VDC 9AH, DIMENSIONS (LXHXP) 25X57X79.5 CM, WEIGHT 185 KG Standard Warranty: 24 Months Electronic Parts / 12 Months Battery	1	€	4.604,00
FBBEVODS240/11	DSP MM 6-10KVA 20	BATTERY BOX FOR EVO DSP 6 KVA - 20 BATTERIES 12VDC 11AH, DIMENSIONS (LXHXP) 25X57X79.5 CM, WEIGHT 95 KG Standard Warranty: 24 Months Electronic Parts / 12 Months Battery	1	€	2.429,00
FBBEVODS240/22	DSP MM 6-10KVA 40	BATTERY BOX FOR EVO DSP 10 KVA - 40 BATTERIES 12VDC 11AH, DIMENSIONS (LXHXP) 25X57X79.5 CM, WEIGHT 145 KG Standard Warranty: 24 Months Electronic Parts / 12 Months Battery	1	€	3.772,00
FBBEVODS240/33	DSP MM 6-10KVA 60	BATTERY BOX FOR EVO DSP 10 KVA - 60 BATTERIES 12VDC 11AH, DIMENSIONS (LXHXP) 25X57X79.5 CM, WEIGHT 195 KG Standard Warranty: 24 Months Electronic Parts / 12 Months Battery	1	€	5.031,00
UPS EVO RACK-1	FOWER UP TO 3 K	UPS ON LINE SINGLE PHASE RT/RM VA AND BATTERY BOX	Pcs for	Pcs for	End User
Code	Models	Description	pack.	Pallet	Price
FGCEV01RT	UPS EVO 1.0 RACK- TOWER	UPS SINGLE-PHASE, POWER 1000 VA (C.FI 0,7) ON-LINE DOUBLE CONVERSION, SINGLE-PHASE IN/OUT, 220/230 V, 50/60 HZ, TRUE SINE WAVE, STABILIZATION ± 2%, AUTOMATIC/MANUAL BY-PASS, EPO (EMERGENCY POWER OFF), REMOTE ON/OFF, DRY CONTACT BOARD (OPTIONAL), SNMP INTERFACE (OPTIONAL), EXTENDED AUTONOMY (OPTIONAL), RJ45/RJ11, R5232, UPSILON 2000 SOFTWARE, 4 IEC TYPE OUTLETS, RACK 19"/TOWER POSITIONING (FOR A CORRECT INSTALLATION PLEASE USE MOUNTING KIT, NOT PROVIDED WITH THE UPS), HOT SWAP BATTERY, DIMENSIONS 44x9x38 CM (2U RACK), TOTAL WEIGHT 14 KG, AUTONOMY 12 MIN, 3 BATTERIES 12VDC 7.2AH (INSIDE UPS), UPS BATTERY RECHARGING CURRENT 1A max. Standard Warranty: 24 Months Electronic Parts / 12 Months Battery	1	12	€ 609,00
FGCEV02RT	UPS EVO 2.0 RACK- TOWER	UPS SINGLE-PHASE, POWER 2000 VA (C.FI 0,7) ON-LINE DOUBLE CONVERSION, SINGLE-PHASE IN/OUT, 220/230 V, 50/60 HZ, TRUE SINE WAVE, STABILIZATION ± 2%, AUTOMATIC/MANUAL BY-PASS, EPO (EMERGENCY POWER OFF), REMOTE ON/OFF, DRY CONTACT BOARD (OPTIONAL), SNMP INTERFACE (OPTIONAL), EXTENDED AUTONOMY (OPTIONAL), RJ45/RJ11, RS232, UPSILON 2000 SOFTWARE, 4 IEC TYPE OUTLETS, RACK 19"/TOWER POSITIONING (FOR A CORRECT INSTALLATION PLEASE USE MOUNTING KIT, NOT PROVIDED WITH THE UPS), HOT SWAP BATTERY, DIMENSIONS 44x13x48 CM (3U RACK), TOTAL WEIGHT 34 KG, AUTONOMY 16 MIN, 8 BATTERIES 12VDC 7.2AH (INSIDE UPS), UPS BATTERY RECHARGING CURRENT 1A max. Standard Warranty: 24 Months Electronic Parts / 12 Months Battery	1	4 €	1.088,00
FGCEVO3RT	UPS EVO 3.0 RACK- TOWER	UPS SINGLE-PHASE, POWER 3000 VA (C.FI 0,7) ON-LINE DOUBLE CONVERSION, SINGLE-PHASE IN/OUT, 220/230 V, 50/60 HZ, TRUE SINE WAVE, STABILIZATION ± 2%, AUTOMATIC/MANUAL BY-PASS, EPO (EMERGENCY POWER OFF), REMOTE ON/OFF, DRY CONTACT BOARD (OPTIONAL), SNMP INTERFACE (OPTIONAL), EXTENDED AUTONOMY (OPTIONAL), RJ45/RJ11, RS232, UPSILON 2000 SOFTWARE, 4 IEC TYPE OUTLETS, RACK 19"/TOWER POSITIONING (FOR A CORRECT INSTALLATION PLEASE USE MOUNTING KIT, NOT PROVIDED WITH THE UPS), HOT SWAP BATTERY, DIMENSIONS 44x13x48 CM (3U RACK), TOTAL WEIGHT 35 KG, AUTONOMY 10 MIN, 8 BATTERIES 12VDC 7.2AH (INSIDE UPS), UPS BATTERY RECHARGING CURRENT 1A max. Standard Warranty: 24 Months Electronic Parts / 12 Months Battery	1	4 €	1.285,00
FGCBBEVO36/14RT		BATTERY BOX FOR EVO 1.0 RT, 6 BATTERIES 12VDC 7.2AH, RACK 19"/TOWER POSITIONING (FOR A CORRECT INSTALLATION PLEASE USE MOUNTING KIT, NOT PROVIDED)	1		€ 961,00

 BATTERY BOR FOR EVO
 BATTERY BOX FOR EVO 1.0 RT, 6 BATTERIES 12VDC 7.2AH, RACK 19"/TOWER POSITIONING (FOR A 1.0 RACK-TOWER 36VDC

 CORRECT INSTALLATION PLEASE USE MOUNTING KIT, NOT PROVIDED)
 6 BATTERIES 12VDC 7.2

 Standard Warranty: 24 Months Electronic Parts / 12 Months Battery

AH

UPS ON LINE SINGLE PHASE RT/RM

UPS EVO RACK- Code	TOWER UP TO 3 K Models	VA AND BATTERY BOX Description	Pcs for pack.	Pcs fo Palle		End User Price
FGCBBEVO36/28RT	BATTERY BOX FOR EVO		1		€	1.204,00
FGCBBEVO96/07RT	BATTERY BOX FOR EVO 2.0/3.0 RACK-TOWER 96VDC 8 BATTERIES 12VDC 7.2 AH	BATTERY BOX FOR EVO 2.0 RT AND EVO 3.0 RT, 8 BATTERIES 12VDC 7.2AH, RACK 19"/TOWER POSITIONING (FOR A CORRECT INSTALLATION PLEASE USE MOUNTING KIT, NOT PROVIDED) Standard Warranty: 24 Months Electronic Parts / 12 Months Battery	1			€ 984,00
FGCBBEVO96/14RT	BATTERY BOX FOR EVO 2.0/3.0 RACK-TOWER 96VDC 16 BATTERIES 12VDC 7.2 AH	BATTERY BOX FOR EVO 2.0 RT AND EVO 3.0 RT, 16 BATTERIES 12VDC 7.2AH, RACK 19"/TOWER POSITIONING (FOR A CORRECT INSTALLATION PLEASE USE MOUNTING KIT, NOT PROVIDED) Standard Warranty: 24 Months Electronic Parts / 12 Months Battery	1		€	1.251,00
	Box Battery E	Backup Time Configuration		01-11	T	
	Code EVO 1.0 RT 50 m			Qty	End	User Price
		UPS EVO 1.0 RACK-TOWER		1		€ 609,00

	EVU 1.0 KI 50	minutes			
	FGCEV01RT	UPS EVO 1.0 RACK-TOWER		1	€ 609,00
	FGCBBEVO36/14RT	BOX BATTERIA PER EVO 1.0 RACK-TOWER 36VDC 6 BATTERIE 12VDC 7.2 AH		1	€ 961,00
			Tot.	€ 1	.570,00
	EVO 1.0 RT 105	i minutes			
	FGCEV01RT	UPS EVO 1.0 RACK-TOWER		1	€ 609,00
	FGCBBEVO36/28RT	BOX BATTERIA PER EVO 1.0 RACK-TOWER 36VDC 12 BATTERIE 12VDC 7.2 AH		1	€ 1.204,00
			Tot.	€ 1	.813,00
	EVO 2.0 RT 40	minutes			
	FGCEVO2RT	UPS EVO 2.0 RACK-TOWER		1	€ 1.088,00
	FGCBBEVO96/07RT	BOX BATTERIA PER EVO 2.0/3.0 RACK-TOWER 96VDC 8 BATTERIE 12VDC 7.2 AH		1	€ 984,00
			Tot.	€ 2	.072,00
	EVO 2.0 RT 70	minutes			
	FGCEVO2RT	UPS EVO 2.0 RACK-TOWER		1	€ 1.088,00
	FGCBBEVO96/14RT	BOX BATTERIA PER EVO 2.0/3.0 RACK-TOWER 96VDC 16 BATTERIE 12VDC 7.2 AH		1	€ 1.251,00
			Tot.	€ 2	.339,00
	EVO 3.0 RT 25	minutes			
	FGCEVO3RT	UPS EVO 3.0 RACK-TOWER		1	€ 1.285,00
	FGCBBEVO96/07RT	BOX BATTERIA PER EVO 2.0/3.0 RACK-TOWER 96VDC 8 BATTERIE 12VDC 7.2 AH		1	€ 984,00
			Tot.	€ 2	.269,00
	EVO 3.0 RT 40	minutes			
	FGCEVO3RT	UPS EVO 3.0 RACK-TOWER		1	€ 1.285,00
	FGCBBEVO96/14RT	BOX BATTERIA PER EVO 2.0/3.0 RACK-TOWER 96VDC 16 BATTERIE 12VDC 7.2 AH		1	€ 1.251,00
			Tot.	€ 2	.536,00
UPS EVO DSP RA	ACK MOUNT FROM	1 6 TO 10 KVA AND BATTERY BOX	Pcs for	Pcs for	End User
Code	Models	Description	pack.	Pallet	Price
FGCEVD06MMR/00	UPS EVO DSP 6.0 MM WITHOUT BATTERIES RACK MOUNT	UPS RACK MOUNT 19", INPUT/OUTPUT SINGLE-PHASE 230/230 50/60HZ, POWER 6 KVA, COS 0,8, ON DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYST MULTIFUNCTION LCD DISPLAY, WIDE INPUT VOLTAGE RANGE, MICROPROCESSOR DRIVED BATTERY RECHARGING SYSTEM, STATIC BYPASS, EMERGENCY POWER OFF (EPO), RS232 AND USB, EXTERNAL		8 €	2.846,00
		BYPASS INTERFACE, SNMP OR DRY CONTACT SLOT (OPTIONAL), WEIGHT 21 KG, DIMENSIONS 43.5x13	x58		

BYPASS INTERFACE, SIMP OR DRY CONTACT SLOT (OPTIONAL), WEIGHT 21 KG, DIMENSIONS 43.5x13x58 CM(3 RACK UNIT), WITHOUT BATTERIES Standard Warranty: 24 Months Electronic Parts

26475



UPS ON LINE SINGLE PHASE RT/RM

UPS EVO DSP RA Code	CK MOUNT FROM	6 TO 10 KVA AND BATTERY BOX Description	Pcs for pack.	Pcs for Pallet	End User Price
FGCEVD10MMR/00	UPS EVO DSP 10.0 MM WITHOUT BATTERIES RACK MOUNT	UPS RACK MOUNT 19", INPUT/OUTPUT SINGLE-PHASE 230/230 50/60HZ, POWER 10 KVA, COS 0,8, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, WIDE INPUT VOLTAGE RANGE, MICROPROCESSOR DRIVED BATTERY RECHARGING SYSTEM, STATIC BYPASS, EMERGENCY POWER OFF (EPO), RS232 AND USB, EXTERNAL BYPASS INTERFACE, SNMP OR DRY CONTACT SLOT (OPTIONAL), WEIGHT 23 KG, DIMENSIONS 43.5x13x66.5 CM(3 RACK UNIT), WITHOUT BATTERIES Standard Warranty: 24 Months Electronic Parts	1	8 €	3.668,00
FBBEVDR240/00		BATTERY BOX FOR EVO DSP MM RACK MOUNT 6 -10 KVA WITHOUT BATTERIES, PREPARED FOR 20 BATTERIES 7.2-9-11AH, DIMENSIONS (LXHXP) 43.5X13X66.5 CM, WEIGHT 10 KG, (FOR A CORRECT INSTALLATION PLEASE USE MOUNTING KIT, NOT PROVIDED) Standard Warranty: 24 Months Electronic Parts	1		€ 887,00
FBBEVDR240/05		BATTERY BOX FOR EVO DSP MM RACK MOUNT 6 -10 KVA 20 BATTERIES 12VDC 5AH, DIMENSIONS (LXHXP 43.5X13X66.5 CM, WEIGHT 46 KG, (FOR A CORRECT INSTALLATION PLEASE USE MOUNTING KIT, NOT PROVIDED) Standard Warranty: 24 Months Electronic Parts / 12 Months Battery) 1	€	1.504,00
FBBEVDR240/07		BATTERY BOX FOR EVO DSP MM RACK MOUNT 6 -10 KVA 20 BATTERIES 12VDC 7.2AH, DIMENSIONS (LXHXP) 43.5X13X66.5 CM, WEIGHT 57 KG, (FOR A CORRECT INSTALLATION PLEASE USE MOUNTING KIT, NOT PROVIDED) Standard Warranty: 24 Months Electronic Parts / 12 Months Battery	1	€	1.690,00
FBBEVDR240/09		BATTERY BOX FOR EVO DSP MM RACK MOUNT 6 -10 KVA 20 BATTERIES 12VDC 9AH, DIMENSIONS (LXHXP 43.5X13X66.5 CM, WEIGHT 61 KG, (FOR A CORRECT INSTALLATION PLEASE USE MOUNTING KIT, NOT PROVIDED) Standard Warranty: 24 Months Electronic Parts / 12 Months Battery) 1	€	2.198,00
FBBEVDR240/11	DSP MM RACK MOUNT 6-	BATTERY BOX FOR EVO DSP MM RACK MOUNT 6 -10 KVA 20 BATTERIES 12VDC 11AH, DIMENSIONS (LXHXP) 43.5X13X66.5 CM, WEIGHT 65 KG, (FOR A CORRECT INSTALLATION PLEASE USE MOUNTING KIT, NOT PROVIDED) Standard Warranty: 24 Months Electronic Parts / 12 Months Battery	1	€	2.279,00

UPS EVO DSP T	M 10 TO 30 KVA Models	Description	Pcs for pack.	Pcs fo Palle		End User Price
FGCEVODS10TM/00	UPS EVO DSP 10.0 TM WITHOUT BATTERIES	UPS 3-P/SINGLE-PHASE, POWER 10 KVA, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, WITHOUT BATTERIES, PREPARED FOR 62 BATTERIES 7.2-9-11AH, DIMENSIONS 40x78x107 CM, WEIGHT 100 KG Standard Warranty: 12 Months Electronic Parts	1	1	€	6.273,00
FGCEVODS10TM/A	UPS EVO DSP 10.0 TM 62 BATTERIES 12VDC 3.3AH	UPS 3-P/SINGLE-PHASE, POWER 10 KVA, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, WITH 62 BATTERIES 12VDC 3.3AH, DIMENSIONS 40x78x107 CM, WEIGHT 181 KG Standard Warranty: 12 Months Electronic Parts / 12 Months Battery	1	1	€	7.926,00

UPS ONLINE THREE PHASE

		UPS ONLINE THREE PHASE			
UPS EVO DSP TA	M 10 TO 30 KVA Models	Description	Pcs for pack.	Pcs for Pallet	End User Price
FGCEVODS10TM/B	UPS EVO DSP 10.0 TM 62 BATTERIES 12VDC 5AH	UPSCHIPTION UPS 3-P/SINGLE-PHASE, POWER 10 KVA, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, WITH 62 BATTERIES 12VDC 5AH, DIMENSIONS 40x78x107 CM, WEIGHT 212 KG Standard Warranty: 12 Months Electronic Parts / 12 Months Battery	1		8.048,00
FGCEVODS10TM/C	UPS EVO DSP 10.0 TM 62 BATTERIES 12VDC 7.2AH	UPS 3-P/SINGLE-PHASE, POWER 10 KVA, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, WITH 62 BATTERIES 12VDC 7.2AH, DIMENSIONS 40x78x107 CM, WEIGHT 255 KG Standard Warranty: 12 Months Electronic Parts / 12 Months Battery	1	1 €	8.405,00
FGCEVODS10TM/D	UPS EVO DSP 10.0 TM 62 BATTERIES 12VDC 9AH	UPS 3-P/SINGLE-PHASE, POWER 10 KVA, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, WITH 62 BATTERIES 12VDC 9AH, DIMENSIONS 40x78x107 CM, WEIGHT 274 KG Standard Warranty: 12 Months Electronic Parts / 12 Months Battery	1	1 €	9.486,00
FGCEVODS10TM/E	UPS EVO DSP 10.0 TM 62 BATTERIES 12VDC 11AH	UPS 3-P/SINGLE-PHASE, POWER 10 KVA, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, WITH 62 BATTERIES 12VDC 11AH, DIMENSIONS 40x78x107 CM, WEIGHT 292 KG Standard Warranty: 12 Months Electronic Parts / 12 Months Battery	1	1 €	9.935,00
FGCEVODS15TM/00	UPS EVO DSP 15.0 TM WITHOUT BATTERIES	UPS 3-P/SINGLE-PHASE, POWER 15 KVA, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, WITHOUT BATTERIES, PREPARED FOR 62 BATTERIES 7.2-9-11AH, DIMENSIONS 40x78x107 CM, WEIGHT 100 KG Standard Warranty: 12 Months Electronic Parts	1	1 €	7.079,00
FGCEVODS15TM/B	UPS EVO DSP 15.0 TM 62 BATTERIES 12VDC 5AH	UPS 3-P/SINGLE-PHASE, POWER 15 KVA, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, WITH 62 BATTERIES 12VDC 5AH, DIMENSIONS 40x78x107 CM, WEIGHT 212 KG Standard Warranty: 12 Months Electronic Parts / 12 Months Battery	1	1 €	8.854,00
FGCEVODS15TM/C	UPS EVO DSP 15.0 TM 62 BATTERIES 12VDC 7.2AH	UPS 3-P/SINGLE-PHASE, POWER 15 KVA, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, WITH 62 BATTERIES 12VDC 7.2AH, DIMENSIONS 40x78x107 CM, WEIGHT 255 KG Standard Warranty: 12 Months Electronic Parts / 12 Months Battery	1	1 €	9.211,00
FGCEVODS15TM/D	UPS EVO DSP 15.0 TM 62 BATTERIES 12VDC 9AH	UPS 3-P/SINGLE-PHASE, POWER 15 KVA, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, WITH 62 BATTERIES 12VDC 9AH, DIMENSIONS 40x78x107 CM, WEIGHT 274 KG Standard Warranty: 12 Months Electronic Parts / 12 Months Battery	1	1 €	10.292,00
FGCEVODS15TM/E	UPS EVO DSP 15.0 TM 62 BATTERIES 12VDC 11AH	UPS 3-P/SINGLE-PHASE, POWER 15 KVA, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, WITH 62 BATTERIES 12VDC 11AH, DIMENSIONS 40x78x107 CM, WEIGHT 292 KG Standard Warranty: 12 Months Electronic Parts / 12 Months Battery	1	1 €	10.741,00
FGCEVODS20TM/00	UPS EVO DSP 20.0 TM WITHOUT BATTERIES	UPS 3-P/SINGLE-PHASE, POWER 20 KVA, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, WITHOUT BATTERIES, PREPARED FOR 62 BATTERIES 7.2-9-11AH, DIMENSIONS 40x78x107 CM, WEIGHT 100 KG Standard Warranty: 12 Months Electronic Parts	1	1 €	7.263,00

UPS EVO DSP TA	N 10 TO 30 KVA		Pcs for	Pcs for		End User
Code	Models	Description	pack.	Pallet		Price
GCEVODS20TM/C	UPS EVO DSP 20.0 TM 62 BATTERIES 12VDC 7.2AH	UPS 3-P/SINGLE-PHASE, POWER 20 KVA, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, WITH 62 BATTERIES 12VDC 7.2AH, DIMENSIONS 40x78x107 CM, WEIGHT 255 KG Standard Warranty: 12 Months Electronic Parts / 12 Months Battery	1	1	€	9.395,00
GCEVODS20TM/D	UPS EVO DSP 20.0 TM 62 BATTERIES 12VDC 9AH	UPS 3-P/SINGLE-PHASE, POWER 20 KVA, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, WITH 62 BATTERIES 12VDC 9AH, DIMENSIONS 40x78x107 CM, WEIGHT 274 KG Standard Warranty: 12 Months Electronic Parts / 12 Months Battery	1	1	€	10.476,00
						U.
GCEVODS20TM/E	UPS EVO DSP 20.0 TM 62 BATTERIES 12VDC 11AH	UPS 3-P/SINGLE-PHASE, POWER 20 KVA, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, WITH 62 BATTERIES 12VDC 11AH, DIMENSIONS 40x78x107 CM, WEIGHT 292 KG Standard Warranty: 12 Months Electronic Parts / 12 Months Battery	1	1	€	10.925,00
GCEVODS30TM/00	UPS EVO DSP 30.0 TM WITHOUT BATTERIES	UPS 3-P/SINGLE-PHASE, POWER 30 KVA, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, WITHOUT BATTERIES, PREPARED FOR 62 BATTERIES 7.2-9-11AH, DIMENSIONS 40x78x107 CM, WEIGHT 100 KG Standard Warranty: 12 Months Electronic Parts	1	1	€	7.742,00
GCEVODS30TM/D	UPS EVO DSP 30.0 TM 62 BATTERIES 12VDC 9AH	UPS 3-P/SINGLE-PHASE, POWER 30 KVA, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, WITH 62 BATTERIES 12VDC 9AH, DIMENSIONS 40x78x107 CM, WEIGHT 274 KG Standard Warranty: 12 Months Electronic Parts / 12 Months Battery	1	1	€	10.955,00
GCEVODS30TM/E	UPS EVO DSP 30.0 TM 62 BATTERIES 12VDC	UPS 3-P/SINGLE-PHASE, POWER 30 KVA, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSPIDIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, WITH 62	1	1	€	11.404,00
	11ан	BATTERIES 12VDC 11AH, DIMENSIONS 40x78x107 CM, WEIGHT 292 KG Standard Warranty: 12 Months Electronic Parts / 12 Months Battery				Ū
UPS EVO DSP TA	N 10 TO 30 KVA - P	PARALLEL	Pcs for	Pcs for	-	End User
Code	Models	Description	pack.	Pallet		Price
GCEVODS10TM/00P	UPS EVO DSP 10.0 TM WITHOUT BATTERIES WITH PARALLEL SYSTEM	UPS 3-P/SINGLE-PHASE, POWER 10 KVA, WITH PARALLEL SYSTEM, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, WITHOUT BATTERIES, PREPARED FOR 62 BATTERIES 7.2-9-11 AH, DIMENSIONS 40x78x107 CM, WEIGHT 100 KG Standard Warranty: 12 Months Electronic Parts	1	1	€	7.049,00
FGCEVODS10TM/AP	UPS EVO DSP 10.0 TM 62 BATTERIES 12VDC 3.3AH WITH PARALLEL SYSTEM	UPS 3-P/SINGLE-PHASE, POWER 10 KVA, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, WITH PARALLEL SYSTEM, WITH 62 BATTERIES 12VDC 3.3AH, DIMENSIONS 40x78x107 CM, WEIGHT 181 KG Standard Warranty: 12 Months Electronic Parts / 12 Months Battery	1	1	€	8.701,00
FGCEVODS10TM/BP	UPS EVO DSP 10.0 TM 62 BATTERIES 12VDC 5AH WITH PARALLEL SYSTEM	UPS 3-P/SINGLE-PHASE, POWER 10 KVA, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, WITH PARALLEL SYSTEM, WITH 62 BATTERIES 12VDC 5AH, DIMENSIONS 40x78x107 CM, WEIGHT 212 KG Standard Warranty: 12 Months Electronic Parts / 12 Months Battery	1	1	€	8.823,00

DC		INE	THREE	DHACE
P 3	UNL		INKEE	PHASE

UPS EVO DSP TA	N 10 TO 30 KVA - P	PARALLEL	Pcs for	Pcs for	End User
Code	Models	Description	pack.	Pallet	Price
FGCEVODS10TM/CP	UPS EVO DSP 10.0 TM 62 BATTERIES 12VDC 7.2AH WITH PARALLEL SYSTEM	UPS 3-P/SINGLE-PHASE, POWER 10 KVA, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, WITH PARALLEL SYSTEM, WITH 62 BATTERIES 12VDC 7.2AH, DIMENSIONS 40x78x107 CM, WEIGHT 255 KG Standard Warranty: 12 Months Electronic Parts / 12 Months Battery	1	1 •	€ 9.180,00
FGCEVODS10TM/DP	UPS EVO DSP 10.0 TM	UPS 3-P/SINGLE-PHASE, POWER 10 KVA, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT	1	1 €	10.262,00
	62 BATTERIES 12VDC 9AH WITH PARALLEL SYSTEM	TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, WITH PARALLEL SYSTEM, WITH 62 BATTERIES 12VDC 9AH, DIMENSIONS 40x78x107 CM, WEIGHT 274 KG Standard Warranty: 12 Months Electronic Parts / 12 Months Battery		1 €	
FGCEVODS10TM/EP	UPS EVO DSP 10.0 TM 62 BATTERIES 12VDC 11AH WITH PARALLEL SYSTEM	UPS 3-P/SINGLE-PHASE, POWER 10 KVA, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, WITH PARALLEL SYSTEM, WITH 62 BATTERIES 12VDC 11AH, DIMENSIONS 40x78x107 CM, WEIGHT 292 KG Standard Warranty: 12 Months Electronic Parts / 12 Months Battery	1	1 €	10.710,00
FGCEVODS15TM/00P	UPS EVO DSP 15.0 TM WITHOUT BATTERIES WITH PARALLEL SYSTEM	UPS 3-P/SINGLE-PHASE, POWER 15 KVA, WITH PARALLEL SYSTEM, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, WITHOUT BATTERIES, PREPARED FOR 62 BATTERIES 7.2-9-11AH, DIMENSIONS 40x78x107 CM, WEIGHT 100 KG Standard Warranty: 12 Months Electronic Parts	1	1 •	€ 7.079,00
FGCEVODS15TM/BP	UPS EVO DSP 15.0 TM 62 BATTERIES 12VDC 5AH WITH PARALLEL SYSTEM	UPS 3-P/SINGLE-PHASE, POWER 15 KVA, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, WITH PARALLEL SYSTEM, WITH 62 BATTERIES 12VDC 5AH, DIMENSIONS 40x78x107 CM, WEIGHT 212 KG Standard Warranty: 12 Months Electronic Parts / 12 Months Battery	1	1 (€ 9.629,00
FGCEVODS15TM/CP	UPS EVO DSP 15.0 TM 62 BATTERIES 12VDC 7.2AH WITH PARALLEL SYSTEM	UPS 3-P/SINGLE-PHASE, POWER 15 KVA, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, WITH PARALLEL SYSTEM, WITH 62 BATTERIES 12VDC 7.2AH, DIMENSIONS 40x78x107 CM, WEIGHT 255 KG Standard Warranty: 12 Months Electronic Parts / 12 Months Battery	1	1 •	€ 9.986,00
FGCEVODS15TM/DP	UPS EVO DSP 15.0 TM 62 BATTERIES 12VDC 9AH WITH PARALLEL SYSTEM	UPS 3-P/SINGLE-PHASE, POWER 15 KVA, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, WITH PARALLEL SYSTEM, WITH 62 BATTERIES 12VDC 9AH, DIMENSIONS 40x78x107 CM, WEIGHT 274 KG Standard Warranty: 12 Months Electronic Parts / 12 Months Battery	1	1 €	11.067,00
FGCEVODS15TM/EP	UPS EVO DSP 15.0 TM 62 BATTERIES 12VDC 11AH WITH PARALLEL SYSTEM	UPS 3-P/SINGLE-PHASE, POWER 15 KVA, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, WITH PARALLEL SYSTEM, WITH 62 BATTERIES 12VDC 11AH, DIMENSIONS 40x78x107 CM, WEIGHT 292 KG Standard Warranty: 12 Months Electronic Parts / 12 Months Battery	1	1 €	11.516,00
FGCEVODS20TM/00P	UPS EVO DSP 20.0 TM WITHOUT BATTERIES WITH PARALLEL SYSTEM	UPS 3-P/SINGLE-PHASE, POWER 20 KVA, WITH PARALLEL SYSTEM, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, WITHOUT BATTERIES, PREPARED FOR 62 BATTERIES 7.2-9-11 AH, DIMENSIONS 40x78x107 CM, WEIGHT 100 KG Standard Warranty: 12 Months Electronic Parts	1	1 1	€ 8.109,00

		UPS ONLINE THREE PHASE			
	N 10 TO 30 KVA - F		Pcs for	Pcs for	End User
Code FGCEVODS20TM/CP	Models UPS EVO DSP 20.0 TM 62 BATTERIES 12VDC 7.2AH WITH PARALLEL SYSTEM	Description UPS 3-P/SINGLE-PHASE, POWER 20 KVA, WITH PARALLEL SYSTEM, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, WITH 62 BATTERIES 12VDC 7.2AH, DIMENSIONS 40x78x107 CM, WEIGHT 255 KG Standard Warranty: 12 Months Electronic Parts / 12 Months Battery	pack. 1	Pallet 1€	Price 10.170,00
FGCEVODS20TM/DP	UPS EVO DSP 20.0 TM 62 BATTERIES 12VDC 9AH WITH PARALLEL SYSTEM	UPS 3-P/SINGLE-PHASE, POWER 20 KVA, WITH PARALLEL SYSTEM, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, WITH 62 BATTERIES 12VDC 9AH, DIMENSIONS 40x78x107 CM, WEIGHT 274 KG Standard Warranty: 12 Months Electronic Parts / 12 Months Battery	1	1 €	11.251,00
FGCEVODS20TM/EP	UPS EVO DSP 20.0 TM 62 BATTERIES 12VDC 11AH WITH PARALLEL SYSTEM	UPS 3-P/SINGLE-PHASE, POWER 20 KVA, WITH PARALLEL SYSTEM, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, WITH 62 BATTERIES 12VDC 11AH, DIMENSIONS 40x78x107 CM, WEIGHT 292 KG Standard Warranty: 12 Months Electronic Parts / 12 Months Battery	1	1 €	11.700,00
					U.
FGCEVODS30TM/00P	UPS EVO DSP 30.0 TM WITHOUT BATTERIES WITH PARALLEL SYSTEM	UPS 3-P/SINGLE-PHASE, POWER 30 KVA, WITH PARALLEL SYSTEM, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD 10 JISPLAY, WITHOUT BATTERIES, PREPARED FOR 62 BATTERIES 7.2-9-11 AH, DIMENSIONS 40x78x107 CM, WEIGHT 100 KG Standard Warranty: 12 Months Electronic Parts	1	1 €	8.589,00
FGCEVODS30TM/DP	UPS EVO DSP 30.0 TM 62 BATTERIES 12VDC 9AH WITH PARALLEL SYSTEM	UPS 3-P/SINGLE-PHASE, POWER 30 KVA, WITH PARALLEL SYSTEM, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, WITH 62 BATTERIES 12VDC 9AH, DIMENSIONS 40x78x107 CM, WEIGHT 274 KG Standard Warranty: 12 Months Electronic Parts / 12 Months Battery	1	1 €	11.730,00
FGCEVODS30TM/EP	UPS EVO DSP 30.0 TM 62 BATTERIES 12VDC 11AH WITH PARALLEL SYSTEM	UPS 3-P/SINGLE-PHASE, POWER 30 KVA, WITH PARALLEL SYSTEM, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, WITH 62 BATTERIES 12VDC 11AH, DIMENSIONS 40x78x107 CM, WEIGHT 292 KG Standard Warranty: 12 Months Electronic Parts / 12 Months Battery	1	1 €	12.179,00
UPS EVO DSP TA	N 10 TO 30 KVA - 1	TRANSFORMER	Pcs for	Pcs for	End User
Code FGCEVODS10TM/00I	Models UPS EVO DSP 10.0 TM WITHOUT BATTERIES WITH ISOLATION TRANSFORMER	Description UPS 3-P/SINGLE-PHASE, POWER 10 KVA, WITH ISOLATION TRANSFORMER, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, WITHOUT BATTERIES, DIMENSIONS 40x78x107 CM, WEIGHT 174 KG Standard Warranty: 12 Months Electronic Parts	pack. 1	Pallet 1€	Price 7.671,00
FGCEVODS15TM/00I	UPS EVO DSP 15.0 TM WITHOUT BATTERIES WITH ISOLATION TRANSFORMER	UPS 3-P/SINGLE-PHASE, POWER 15 KVA, WITH ISOLATION TRANSFORMER, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, WITHOUT BATTERIES, DIMENSIONS 40x78x107 CM, WEIGHT 190 KG Standard Warranty: 12 Months Electronic Parts	1	1 €	8.446,00

UPS EVO DSP TM	10 TO 30 KVA - T	RANSFORMER	Pcs for	Pcs for	End User
Code	Models	Description	pack.	Pallet	Price
FGCEVODS20TM/00I	UPS EVO DSP 20.0 TM WITHOUT BATTERIES WITH ISOLATION TRANSFORMER	UPS 3-P/SINGLE-PHASE, POWER 20 KVA, WITH ISOLATION TRANSFORMER, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, WITHOUT BATTERIES, DIMENSIONS 40x78x107 CM, WEIGHT 225 KG Standard Warranty: 12 Months Electronic Parts	1	1 €	8.946,00
FGCEVODS30TM/00I	UPS EVO DSP 30.0 TM WITHOUT BATTERIES	UPS 3-P/SINGLE-PHASE, POWER 30 KVA, WITH ISOLATION TRANSFORMER, ONLINE DOUBLE CONVERSION	1	1 €	10.058,00
	WITH ISOLATION TRANSFORMER	TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, WITHOUT BATTERIES, DIMENSIONS 40x78x107 CM, WEIGHT 290 KG Standard Warranty: 12 Months Electronic Parts			
UPS EVO DSP TO	WER TT 10 TO 10	Ο ΚΥΑ	Dector	Dec for	Endliner
Code	Models	Description	Pcs for pack.	Pcs for Pallet	End User Price
FGCEVODS10TT/00	UPS EVO DSP 10.0 TT WITHOUT BATTERIES	UPS 3-P/3-P, POWER 10 KVA, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, WITHOUT BATTERIES, PREPARED FOR 62 BATTERIES 7.2-9-11AH, DIMENSIONS 40x78x107 CM, WEIGHT 100 KG Standard Warranty: 12 Months Electronic Parts	1		6.600,00
FGCEVODS10TT/A		UPS 3-P/3-P, POWER 10 KVA, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, WITH 62 BATTERIES 12VDC 3.3AH, DIMENSIONS 40x78x107 CM, WEIGHT 181 KG Standard Warranty: 12 Months Electronic Parts / 12 Months Battery	1	1 €	8.344,00
FGCEVODS10TT/B	UPS EVO DSP 10.0 TT 62 BATTERIES 12VDC 5AH	UPS 3-P/3-P, POWER 10 KVA, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, WITH 62 BATTERIES 12VDC 5AH, DIMENSIONS 40x78x107 CM, WEIGHT 212 KG Standard Warranty: 12 Months Electronic Parts / 12 Months Battery	1	1 €	8.466,00
FGCEVODS10TT/C		UPS 3-P/3-P, POWER 10 KVA, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, WITH 62 BATTERIES 12VDC 7.2AH, DIMENSIONS 40x78x107 CM, WEIGHT 255 KG Standard Warranty: 12 Months Electronic Parts / 12 Months Battery	1	1 €	8.854,00
FGCEVODS10TT/D	UPS EVO DSP 10.0 TT 62 BATTERIES 12VDC 9AH	UPS 3-P/3-P, POWER 10 KVA, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, WITH 62 BATTERIES 12VDC 9AH, DIMENSIONS 40x78x107 CM, WEIGHT 274 KG Standard Warranty: 12 Months Electronic Parts / 12 Months Battery	1	1 €	9.986,00
FGCEVODS10TT/E		UPS 3-P/3-P, POWER 10 KVA, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, WITH 62 BATTERIES 12VDC 11AH, DIMENSIONS 40x78x107 CM, WEIGHT 292 KG Standard Warranty: 12 Months Electronic Parts / 12 Months Battery	1	1 €	10.455,00
FGCEVODS15TT/00	UPS EVO DSP 15.0 TT WITHOUT BATTERIES	UPS 3-P/3-P, POWER 15 KVA, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, WITHOUT BATTERIES, PREPARED FOR 62 BATTERIES 7.2-9-11AH, DIMENSIONS 40x78x107 CM, WEIGHT 100 KG Standard Warranty: 12 Months Electronic Parts	1	1 €	7.457,00

		UPS ONLINE THREE PHASE			
	OWER TT 10 TO 10		Pcs for	Pcs for Pallet	End User Price
Code FGCEVODS15TT/B		Description 2 UPS 3-P/3-P, POWER 15 KVA, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, WITH 62 BATTERIES 12VDC 5AH, DIMENSIONS 40x78x107 CM, WEIGHT 212 KG Standard Warranty: 12 Months Electronic Parts / 12 Months Battery	pack. 1		9.323,00
FGCEVODS15TT/C		2 UPS 3-P/3-P, POWER 15 KVA, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, 4 DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, WITH 62 BATTERIES 12VDC 7.2AH, DIMENSIONS 40x78x107 CM, WEIGHT 255 KG Standard Warranty: 12 Months Electronic Parts / 12 Months Battery	1	1 €	9.701,00
FGCEVODS15TT/D		2 UPS 3-P/3-P, POWER 15 KVA, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, WITH 62 BATTERIES 12VDC 9AH, DIMENSIONS 40x78x107 CM, WEIGHT 274 KG Standard Warranty: 12 Months Electronic Parts / 12 Months Battery	1	1 €	10.833,00
FGCEVODS15TT/E		2 UPS 3-P/3-P, POWER 15 KVA, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP[DIGITAL SIGNAL PROCESSOR] SYSTEM, MULTIFUNCTION LCD DISPLAY, WITH 62 BATTERIES 12VDC 11AH, DIMENSIONS 40x78x107 CM, WEIGHT 292 KG Standard Warranty: 12 Months Electronic Parts / 12 Months Battery	1	1 €	11.302,00
FGCEVODS20TT/00	UPS EVO DSP 20.0 TT WITHOUT BATTERIES	UPS 3-P/3-P, POWER 20 KVA, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, WITHOUT BATTERIES, PREPARED FOR 62 BATTERIES 7.2-9-11AH, DIMENSIONS 40x78x107 CM, WEIGHT 100 KG Standard Warranty: 12 Months Electronic Parts	1	1 €	7.640,00
FGCEVODS20TT/C		2 UPS 3-P/3-P, POWER 20 KVA, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, 4 DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, WITH 62 BATTERIES 12VDC 7.2AH, DIMENSIONS 40x78x107 CM, WEIGHT 255 KG Standard Warranty: 12 Months Electronic Parts / 12 Months Battery	1	1 €	9.894,00
FGCEVODS20TT/D		2 UPS 3-P/3-P, POWER 20 KVA, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, WITH 62 BATTERIES 12VDC 9AH, DIMENSIONS 40x78x107 CM, WEIGHT 274 KG Standard Warranty: 12 Months Electronic Parts / 12 Months Battery	1	1 €	11.027,00
FGCEVODS20TT/E		2 UPS 3-P/3-P, POWER 20 KVA, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, WITH 62 BATTERIES 12VDC 11AH, DIMENSIONS 40x78x107 CM, WEIGHT 292 KG Standard Warranty: 12 Months Electronic Parts / 12 Months Battery	1	1 €	11.496,00
FGCEVODS30TT/00	UPS EVO DSP 30.0 TT WITHOUT BATTERIES	UPS 3-P/3-P, POWER 30 KVA, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, WITHOUT BATTERIES, PREPARED FOR 62 BATTERIES 7.2-9-11AH, DIMENSIONS 40x78x107 CM, WEIGHT 100 KG Standard Warranty: 12 Months Electronic Parts	1	1 €	8.150,00
FGCEVODS30TT/D		2 UPS 3-P/3-P, POWER 30 KVA, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, WITH 62 BATTERIES 12VDC 9AH, DIMENSIONS 40x78x107 CM, WEIGHT 274 KG Standard Warranty: 12 Months Electronic Parts / 12 Months Battery	1	1 €	11.526,00

		UPS ONLINE THREE PHASE			
UPS EVO DSP TO	DWER TT 10 TO 10 Models		Pcs for pack.	Pcs for Pallet	End User Price
FGCEVODS30TT/E	UPS EVO DSP 30.0 TT 62	Description 2 UPS 3-P/3-P, POWER 30 KVA, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, WITH 62 BATTERIES 12VDC 11AH, DIMENSIONS 40x78x107 CM, WEIGHT 292 KG Standard Warranty: 12 Months Electronic Parts / 12 Months Battery	1	1	
FGCEVODS40TT/00	UPS EVO DSP 40.0 TT WITHOUT BATTERIES	UPS 3-P/3-P, POWER 40 KVA, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, WITHOUT BATTERIES, DIMENSIONS 52x90x130 CM, WEIGHT 240 KG Standard Warranty: 12 Months Electronic Parts	1	1 (ε 10.659,00
FGCEVODS60TT/00	UPS EVO DSP 60.0 TT WITHOUT BATTERIES	UPS 3-P/3-P, POWER 60 KVA, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, WITHOUT BATTERIES, DIMENSIONS 52x90x130 CM, WEIGHT 240 KG Standard Warranty: 12 Months Electronic Parts	1	1 (E 13.546,00
FGCEVODS80TT/00	UPS EVO DSP 80.0 TT WITHOUT BATTERIES	UPS 3-P/3-P, POWER 80 KVA, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, WITHOUT BATTERIES, DIMENSIONS 52x95x130 CM, WEIGHT 260 KG Standard Warranty: 12 Months Electronic Parts	1	1 •	E 16.606,00
FGCEVODS100TT/00	UPS EVO DSP 100.0 TT WITHOUT BATTERIES	UPS 3-P/3-P, POWER 100 KVA, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, WITHOUT BATTERIES, DIMENSIONS 64x98x140 CM, WEIGHT 300 KG Standard Warranty: 12 Months Electronic Parts	1	1 •	ε 19.788,00 Γ
UPS EVO DSP TO	OWER TT 10 TO 10	0 KVA - PARALLEL	Pcs for	Pcs for	End User
Code	Models	Description	pack.	Pallet	Price
FGCEVODS10TT/00P	UPS EVO DSP 10.0 TT WITHOUT BATTERIES WITH PARALLEL SYSTEM	UPS 3-P/3-P, POWER 10 KVA, WITH PARALLEL SYSTEM, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, WITHOUT BATTERIES, PREPARED FOR 62 BATTERIES 7.2-9-11AH, DIMENSIONS 40x78x107 CM, WEIGHT 100 KG Standard Warranty: 12 Months Electronic Parts	1	1	€ 7.416,00
FGCEVODS10TT/AP	BATTERIES 12VDC 3.3AH	2 UPS 3-P/3-P, POWER 10 KVA, WITH PARALLEL SYSTEM, ONLINE DOUBLE CONVERSION TECNOLOGY 1 WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, 1 WITH 62 BATTERIES 12VDC 3.3AH, DIMENSIONS 40x78x107 CM, WEIGHT 181 KG 1 Standard Warranty: 12 Months Electronic Parts / 12 Months Battery	1	1	€ 9.160,00
FGCEVODS10TT/BP	BATTERIES 12VDC 5AH	2 UPS 3-P/3-P, POWER 10 KVA, WITH PARALLEL SYSTEM, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, WITH 62 BATTERIES 12VDC 5AH, DIMENSIONS 40x78x107 CM, WEIGHT 212 KG Standard Warranty: 12 Months Electronic Parts / 12 Months Battery	1	1	€ 9.282,00

1

€ 9.670,00

1

UPS EVO DSP 10.0 TT 62 UPS 3-P/3-P, POWER 10 KVA, WITH PARALLEL SYSTEM, ONLINE DOUBLE CONVERSION TECNOLOGY

Standard Warranty: 12 Months Electronic Parts / 12 Months Battery

WITH PARALLEL SYSTEM WITH 62 BATTERIES 12VDC 7.2AH, DIMENSIONS 40x78x107 CM, WEIGHT 255 KG

BATTERIES 12VDC 7.2AH WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY,

FGCEVODS10TT/CP

	UPS ONLINE THREE PHASE IPS EVO DSP TOWER TT 10 TO 100 KVA - PARALLEL								
Code	Models	Description	Pcs for pack.	Pcs for Pallet	End User Price				
FGCEVODS10TT/DP	BATTERIES 12VDC 9AH	UPS 3-P/3-P, POWER 10 KVA, WITH PARALLEL SYSTEM, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, WITH 62 BATTERIES 12VDC 9AH, DIMENSIONS 40x78x107 CM, WEIGHT 274 KG Standard Warranty: 12 Months Electronic Parts / 12 Months Battery	1	1 €	10.802,00				
FGCEVODS10TT/EP	BATTERIES 12VDC 11AH	UPS 3-P/3-P, POWER 10 KVA, WITH PARALLEL SYSTEM, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, WITH 62 BATTERIES 12VDC 11AH, DIMENSIONS 40x78x107 CM, WEIGHT 292 KG Standard Warranty: 12 Months Electronic Parts / 12 Months Battery	1	1 €	11.271,00				
FGCEVODS15TT/00P	UPS EVO DSP 15.0 TT WITHOUT BATTERIES WITH PARALLEL SYSTEM	UPS 3-P/3-P, POWER 15 KVA, WITH PARALLEL SYSTEM, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, WITHOUT BATTERIES, PREPARED FOR 62 BATTERIES 7.2-9-11AH, DIMENSIONS 40x78x107 CM, WEIGHT 100 KG	1	1 €	7.457,00				
		Standard Warranty: 12 Months Electronic Parts							
FGCEVODS15TT/BP	BATTERIES 12VDC 5AH	UPS 3-P/3-P, POWER 15 KVA, WITH PARALLEL SYSTEM, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, WITH 62 BATTERIES 12VDC 5AH, DIMENSIONS 40x78x107 CM, WEIGHT 212 KG Standard Warranty: 12 Months Electronic Parts / 12 Months Battery	1	1 €	10.139,00				
FGCEVODS15TT/CP	BATTERIES 12VDC 7.2AH	UPS 3-P/3-P, POWER 15 KVA, WITH PARALLEL SYSTEM, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, WITH 62 BATTERIES 12VDC 7.2AH, DIMENSIONS 40x78x107 CM, WEIGHT 255 KG Standard Warranty: 12 Months Electronic Parts / 12 Months Battery	1	1 €	10.517,00				
FGCEVODS15TT/DP		UPS 3-P/3-P, POWER 15 KVA, WITH PARALLEL SYSTEM, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY,	1	1 €	11.649,00				
		WITH 62 BATTERIES 12VDC 9AH, DIMENSIONS 40x78x107 CM, WEIGHT 274 KG Standard Warranty: 12 Months Electronic Parts / 12 Months Battery			I				
FGCEVODS15TT/EP	BATTERIES 12VDC 11AH	UPS 3-P/3-P, POWER 15 KVA, WITH PARALLEL SYSTEM, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, WITH 62 BATTERIES 12VDC 11AH, DIMENSIONS 40x78x107 CM, WEIGHT 292 KG Standard Warranty: 12 Months Electronic Parts / 12 Months Battery	1	1 €	12.118,00				
FGCEVODS20TT/00P	UPS EVO DSP 20.0 TT WITHOUT BATTERIES WITH PARALLEL SYSTEM	UPS 3-P/3-P, POWER 20 KVA, WITH PARALLEL SYSTEM, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, WITHOUT BATTERIES, PREPARED FOR 62 BATTERIES 7.2-9-11AH, DIMENSIONS 40x78x107 CM, WEIGHT 100 KG Standard Warranty: 12 Months Electronic Parts	1	1 €	8.538,00				
FGCEVODS20TT/CP	BATTERIES 112VDC	UPS 3-P/3-P, POWER 20 KVA, WITH PARALLEL SYSTEM, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, WITH 62 BATTERIES 12VDC 7.2AH, DIMENSIONS 40x78x107 CM, WEIGHT 255 KG Standard Warranty: 12 Months Electronic Parts / 12 Months Battery	1	1 €	10.710,00				

		UPS ONLINE THREE PHASE			
	WER TT 10 TO 10		Pcs for	Pcs for Pallet	End User Price
Code FGCEVODS20TT/DP	BATTERIES 12VDC 9AH	Description UPS 3-P/3-P, POWER 20 KVA, WITH PARALLEL SYSTEM, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, WITH 62 BATTERIES 12VDC 9AH, DIMENSIONS 40x78x107 CM, WEIGHT 274 KG Standard Warranty: 12 Months Electronic Parts / 12 Months Battery	pack. 1	1 €	11.843,0
FGCEVODS20TT/EP	BATTERIES 12VDC 11AH	UPS 3-P/3-P, POWER 20 KVA, WITH PARALLEL SYSTEM, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, WITH 62 BATTERIES 12VDC 11AH, DIMENSIONS 40x78x107 CM, WEIGHT 292 KG Standard Warranty: 12 Months Electronic Parts / 12 Months Battery	1	1 €	12.312,0
FGCEVODS30TT/00P	UPS EVO DSP 30.0 TT WITHOUT BATTERIES WITH PARALLEL SYSTEM	UPS 3-P/3-P, POWER 30 KVA, WITH PARALLEL SYSTEM, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, WITHOUT BATTERIES, PREPARED FOR 62 BATTERIES 7.2-9-11AH, DIMENSIONS 40x78x107 CM, WEIGHT 100 KG Standard Warranty: 12 Months Electronic Parts	1	1 €	9.038,0
FGCEVODS30TT/DP	BATTERIES 12VDC 9AH	UPS 3-P/3-P, POWER 30 KVA, WITH PARALLEL SYSTEM, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, WITH 62 BATTERIES 12VDC 9AH, DIMENSIONS 40x78x107 CM, WEIGHT 274 KG Standard Warranty: 12 Months Electronic Parts / 12 Months Battery	1	1 €	12.342,0
FGCEVODS30TT/EP	BATTERIES 12VDC 11AH	UPS 3-P/3-P, POWER 30 KVA, WITH PARALLEL SYSTEM, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, WITH 62 BATTERIES 12VDC 11AH, DIMENSIONS 40x78x107 CM, WEIGHT 292 KG Standard Warranty: 12 Months Electronic Parts / 12 Months Battery	1	1 €	12.812,0
FGCEVODS40TT/00P	UPS EVO DSP 40.0 TT WITHOUT BATTERIES WITH PARALLEL SYSTEM	UPS 3-P/3-P, POWER 40 KVA, WITH PARALLEL SYSTEM, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, WITHOUT BATTERIES, DIMENSIONS 52x90x130 CM, WEIGHT 240 KG Standard Warranty: 12 Months Electronic Parts	1	1 €	11.475,0
FGCEVODS60TT/00P	UPS EVO DSP 60.0 TT WITHOUT BATTERIES WITH PARALLEL SYSTEM	UPS 3-P/3-P, POWER 60 KVA, WITH PARALLEL SYSTEM, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, WITHOUT BATTERIES, DIMENSIONS 52x90x130 CM, WEIGHT 240 KG Standard Warranty: 12 Months Electronic Parts	1	1 €	14.362,0
FGCEVODS80TT/00P	UPS EVO DSP 80.0 TT WITHOUT BATTERIES WITH PARALLEL SYSTEM	UPS 3-P/3-P, POWER 80 KVA, WITH PARALLEL SYSTEM, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, WITHOUT BATTERIES, DIMENSIONS 52x95x130 CM, WEIGHT 260 KG Standard Warranty: 12 Months Electronic Parts	1	1 €	20.604,0
FGCEVODS100TT/0P	UPS EVO DSP 100.0 TT WITHOUT BATTERIES WITH PARALLEL SYSTEM	UPS 3-P/3-P, POWER 100 KVA, WITH PARALLEL SYSTEM, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, WITHOUT BATTERIES, DIMENSIONS 64x98x140 CM, WEIGHT 300 KG Standard Warranty: 12 Months Electronic Parts	1	1 €	22.226,0
UPS EVO DSP TO	WER TT 10 TO 10	O KVA - TRANSF.	Pcs for	Pcs for	End User
Code	Models	Description	pack.	Pallet	Pric

Models	Description	Pcs for pack.	Pcs for Pallet	End User Price
WOULD SEVO DSP 10.0 TT WITHOUT BATTERIES WITH ISOLATION TRANSFORMER	DESI-IP/LOB UPS 3-P/3-P, POWER 10 KVA, WITH ISOLATION TRANSFORMER, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, WITHOUT BATTERIES, DIMENSIONS 40x78x107 CM, WEIGHT 200 KG Standard Warranty: 12 Months Electronic Parts	1		8.079,0
UPS EVO DSP 15.0 TT WITHOUT BATTERIES WITH ISOLATION TRANSFORMER	UPS 3-P/3-P, POWER 15 KVA, WITH ISOLATION TRANSFORMER, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, WITHOUT BATTERIES, DIMENSIONS 40x78x107 CM, WEIGHT 222 KG Standard Warranty: 12 Months Electronic Parts	1	1 €	8.885,0
UPS EVO DSP 20.0 TT WITHOUT BATTERIES WITH ISOLATION TRANSFORMER	UPS 3-P/3-P, POWER 20 KVA, WITH ISOLATION TRANSFORMER, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, WITHOUT BATTERIES, DIMENSIONS 40x78x107 CM, WEIGHT 239 KG Standard Warranty: 12 Months Electronic Parts	1	1 €	9.415,0
UPS EVO DSP 30.0 TT WITHOUT BATTERIES WITH ISOLATION TRANSFORMER	UPS 3-P/3-P, POWER 30 KVA, WITH ISOLATION TRANSFORMER, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, WITHOUT BATTERIES, DIMENSIONS 40x78x107 CM, WEIGHT 281 KG Standard Warranty: 12 Months Electronic Parts	1	1 €	10.588,0
UPS EVO DSP 40.0 TT WITHOUT BATTERIES WITH ISOLATION TRANSFORMER	UPS 3-P/3-P, POWER 40 KVA, WITH ISOLATION TRANSFORMER, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, WITHOUT BATTERIES, DIMENSIONS 52x90x130 CM, WEIGHT 415 KG Standard Warranty: 12 Months Electronic Parts	1	1 €	13.424,0
UPS EVO DSP 60.0 TT WITHOUT BATTERIES WITH ISOLATION TRANSFORMER	UPS 3-P/3-P, POWER 60 KVA, WITH ISOLATION TRANSFORMER, ONLINE DOUBLE CONVERSION TECNOLOGY WITHOUT TRANSFORMER, DSP(DIGITAL SIGNAL PROCESSOR) SYSTEM, MULTIFUNCTION LCD DISPLAY, WITHOUT BATTERIES, DIMENSIONS 52x90x130 CM, WEIGHT 550 KG Standard Warranty: 12 Months Electronic Parts	1	1 €	15.341,0
FOR EVO DSP TM A	ND TT	Pcs for	Pcs for	End User
Models BATTERY BOX V1 TYPE WITHOUT BATTERY	Description BATTERY BOX TYPE V1 WITHOUT BATTERIES, PREPARED FOR 62 BATTERIES 7.2-9-11 AH, DIMENSIONS (LxHxP) 26X74X63.5 CM, WEIGHT 20 KG Standard Warranty: 12 Months Electronic Parts	pack. 1		Price € 847,0
		1	€	2.958,0
	WITHOUT BATTERIES WITH ISOLATION TRANSFORMER UPS EVO DSP 15.0 TT WITHOUT BATTERIES WITH ISOLATION TRANSFORMER UPS EVO DSP 20.0 TT WITH ISOLATION TRANSFORMER UPS EVO DSP 20.0 TT WITH ISOLATION TRANSFORMER UPS EVO DSP 30.0 TT WITH ISOLATION TRANSFORMER UPS EVO DSP 40.0 TT WITH ISOLATION TRANSFORMER UPS EVO DSP 60.0 TT WITH ISOLATION TRANSFORMER UPS EVO DSP 60.0 TT WITH ISOLATION TRANSFORMER WITH ISOLATION TRANSFORMER WITH ISOLATION TRANSFORMER FOR EVO DSP 60.0 TT WITH ISOLATION TRANSFORMER	UPS EVO DSP 10.0 TT UPS 3-P3-P, POWER 10 KVX, WTH ISOLATION TRANSFORMER, DIRUELS CONVERSION WTH BOLATION WTHOUT SATTERIS WTH SOLATION TECOLOGY WTHOUT TRANSFORMER, DSPIGITAL SIGNAL PROCESSORIY SYSTEM, MULTIFUNCTION LCD DISPLAY, WTHOUT BATTERIS Standard Warranty: 12 Months Electronic Parts UPS EVO DSP 10.0 TT UPS 3-P.3-P, POWER 15 KVA, WTH ISOLATION TRANSFORMER, ONLINE DOUBLE CONVERSION WTH SOLATION UPS EVO DSP 10.0 TT UPS 3-P.3-P, POWER 15 KVA, WTH ISOLATION TRANSFORMER, ONLINE DOUBLE CONVERSION WTH SOLATION UPS EVO DSP 20.0 TT UPS 3-P.3-P, POWER 15 KVA, WTH ISOLATION TRANSFORMER, ONLINE DOUBLE CONVERSION WTH SOLATION TRANSFORMER Standard Warranty: 12 Months Electronic Parts UPS EVO DSP 30.0 TT WTHOUT BATTERIS WTH SOLATION UPS 3-P.3-P, POWER 20 KVA, WTH ISOLATION TRANSFORMER, ONLINE DOUBLE CONVERSION TESNAX, WTHOUT BATTERIS Standard Warranty: 12 Months Electronic Parts UPS EVO DSP 30.0 TT WTHOUT BATTERIS WTH SOLATION UPS 3-P.3-P, POWER 30 KVA, WTH ISOLATION TRANSFORMER, ONLINE DOUBLE CONVERSION TESNAX WTHOUT BATTERIS; DIRENSIONS 40/78/107 CA, WEIGHT 23F KG Standard Warranty: 12 Months Electronic Parts UPS EVO DSP 40.0 TT WTHOUT BATTERIS WTH SOLATION UPS 3-P/3-P, POWER 40 KVA, WTH ISOLATION TRANSFORMER, ONLINE DOUBLE CONVERSION TECNOLOGY WTHOUT TRANSFORMER, DSPIGITAL SIGNAL PROCESSORI SYSTEM, MULTIFUNCTION LCD DSPLAY, WTHOUT BATTERIS, DIRENSIONS 60/78/107 CM, WEIGHT 28F KG Standard Warranty: 12 Months Electronic Parts UPS EVO DSP 40.0 TT WTHOUT BATTERIS WTH SOLATION UPS 3-P/3-P, POWER 40 KVA, WTH ISOLATION	UPS EVO DSP 4.0.TT WTHOUT ATTERES WTH SOLATION Sandard Warrany: 12 Avants Electronic Parts UPS 200 DSP 4.0.TT WTHOUT ATTERES WTH SOLATION TRANSFORMER UPS 200 DSP 4.0.TT WTHOUT ATTERES TRANSFORMER UPS 200 DSP 4.0.TT WTHOUT ATTERES TRANSFORMER DSPLATER TRANSFORMER DSPLATER TRANSFORMER UPS 200 DSP 4.0.TT WTHOUT ATTERES TRANSFORMER DSPLATER TRANSFORMER DSPLATER TRANSFORMER DSPLATER TRANSFORMER DSPLATER TRANSFORMER DSPLATER TRANSFORMER DSPLATER TRANSFORMER DSPLATER TRANSFORMER DSPLATER TRANSFORMER DSPLATER TRANSFORMER DSPLATER TRANSFORMER DSPLATER TRANSFORMER DSPLATER TRANSFORMER DSPLATER TRANSFORMER DSPLATER TRANSFORMER DSPLATER TRANSFORMER DSPLATER TRANSFORMER DSPLATER TRANSFORMER DSPLATER TRANSFORMER DSPLATER TRANSFORMER	UPS IND DP 10.0 TT UPS 19/3.9 - POWER 10 VAV, WTH SOLATION TAARGROWER, ONLINE DOUBLE CONVERSION 1 1 1 € WITHOUT DETERMENT UPS 19/3.9 - POWER 10 VAV, WTH SOLATION TAARGROWER, ONLINE DOUBLE CONVERSION 1 1 € WITHOUT DETERMENT UPS 19/3.9 - POWER 10 VAV, WTH SOLATION TAARGROWER, ONLINE DOUBLE CONVERSION 1 1 € WITHOUT DETERMENT UPS 19/3.9 - POWER 10 VAV, WTH SOLATION TAARGROWER, ONLINE DOUBLE CONVERSION 1 1 € WITHOUT DETERMENT UPS 19/3.9 - POWER 10 VAV, WTH SOLATION TAARGROWER, ONLINE DOUBLE CONVERSION 1 1 € WITHOUT DETERMENT UPS 19/3.9 - POWER 10 VAV, WTH SOLATION TAARGROWER, ONLINE DOUBLE CONVERSION 1 1 € WITHOUT DETERMENT UPS 19/3.9 - POWER 10 VAV, WTH SOLATION TAARGROWER, ONLINE DOUBLE CONVERSION 1 1 € WITHOUT DATERMENT UPS 19/3.9 - POWER 10 VAV, WTH SOLATION TAARGROWER, ONLINE DOUBLE CONVERSION 1 1 € WITHOUT DATERMENT UPS 19/3.9 - POWER 10 VAV, WTH SOLATION TAARGROWER, ONLINE DOUBLE CONVERSION 1 1 € UPS 10/0.9 VA OTT UPS 39/3.9 - POWER 10 VAV, WTH SOLATION TAARGROWER, ONLINE DOUBLE CONVERSION 1 1 € UPS 10/0.9 VA OTT UPS 39/3.9 - P

UPS ONLINE THREE PHASE BATTERY BOX FOR EVO DSP TM AND TT Provide A statements of the statement of the statem								
		Pcs for	Pcs for Pallet	End User Price				
BATTERY BOX V1 TYPE	BATTERY BOX TYPE V1 744VDC 31+31 BATTERIES 12VDC 9AH, DIMENSIONS (LxHxP) 26X74X63.5 CM,	1 1		3.948,00				
BATTERY BOX V1 TYPE 744V, 31+31 12VDC 11AH BATTERY TYPE	BATTERY BOX TYPE V1 744VDC 31+31 BATTERIES 12VDC 11AH, DIMENSIONS (LxHxP) 26X74X63.5 CM, WEIGHT 187 KG Standard Warranty: 12 Months Electronic Parts / 12 Months Battery	1	€	4.356,00				
		1	€	1.051,00				
WITHOUT BATTERY	40.4 X 110.2 X 75.3 CM, WEIGHT 50 KG Standard Warranty: 12 Months Electronic Parts							
BATTERY BOX V14 TYPE 744V, 31+31 12VDC 17AH BATTERY TYPE	BATTERY BOX TYPE V14 744VDC 31+31 BATTERIE 12VDC 17AH, DIMENSIONS (LXHXP) 40.4 X 110.2 X 75.3 CM, WEIGHT 418 KG Standard Warranty: 12 Months Electronic Parts / 12 Months Battery	1	€	5.600,00				
BATTERY BOX V34 TYPE WITHOUT BATTERY	BATTERY BOX TYPE V34 744VDC, WITHOUT BATTERIES, PREPARED FOR 62 BATTERIES 7.2-9-11 AH, DIMENSIONS (LxHxP) 84x120x130 CM, WEIGHT 143 KG Standard Warranty: 12 Months Electronic Parts	1	€	1.653,00				
BATTERY BOX V34 TYPE 744V, 31+31 12VDC 26AH BATTERY TYPE	BATTERY BOX TYPE V34 744VDC, 31+31 BATTERIES 12VDC 26AH, DIMENSIONS (LxHxP) 84x120x130 CM, WEIGHT 670 KG Standard Warranty: 12 Months Electronic Parts / 12 Months Battery	1	€	8.854,00				
BATTERY BOX V34 TYPE 744V, 31+31 12VDC 40AH BATTERY TYPE	BATTERY BOX TYPE V34 744VDC, 31+31 BATTERIES 12VDC 40AH, DIMENSIONS (LxHxP) 84x120x130 CM, WEIGHT 1011 KG Standard Warranty: 12 Months Electronic Parts / 12 Months Battery	1	€	12.485,00				
BATTERY BOX V33 TYPE WITHOUT BATTERY	BATTERY BOX TYPE V33 372VDC, WITHOUT BATTERIES, PREPARED FOR 62 BATTERIES 7.2-9-11 AH, DIMENSIONS (LxHxP) 84x120x130 CM, WEIGHT 140 KG Standard Warranty: 12 Months Electronic Parts	1	€	1.561,00				
		1	€	10.119,00				
		1	€	12.169,00				
	Models BATTERY BOX VI TYPE 744V, 31+31 12VDC 9AH BATTERY BOX VI TYPE 744V, 31+31 12VDC 11AH BATTERY TYPE BATTERY BOX VI4 TYPE WITHOUT BATTERY BATTERY BOX V14 TYPE WITHOUT BATTERY BATTERY BOX V14 TYPE WITHOUT BATTERY BATTERY BOX V34 TYPE Y44V, 31+31 12VDC 17AH BATTERY TYPE BATTERY BOX V34 TYPE WITHOUT BATTERY BATTERY BOX V34 TYPE Y44V, 31+31 12VDC 26AH BATTERY TYPE BATTERY BOX V34 TYPE 744V, 31+31 12VDC 26AH BATTERY TYPE BATTERY BOX V34 TYPE T44V, 31+31 12VDC 26AH BATTERY TYPE BATTERY BOX V34 TYPE T44V, 31+31 12VDC 40AH BATTERY TYPE BATTERY BOX V33 TYPE 372V, 31 X 12VDC 65AH BATTERY BOX V33 TYPE 372V, 31 X 12VDC 65AH BATTERY BOX V33 TYPE BATTERY BOX V33 TYPE 372V, 31 X 12VDC 65AH BATTERY BOX V33 TYPE BATTERY BOX V33 TYPE <td>Models Description BATTERY BOX VI TYPE BATTERY BOX YFM 7447 BIX TAVDC 31-31 BATTERIES 12/0C 944, DIMENSIONS (LaHuP) 26/74/63.5 CA, 2747, 31-31 DATTERY DOX YI TYPE SATTERY TYPE Standard Warranty: 12 Months Electronic Parts / 12 Months Battery SATTERY BOX VI TYPE BATTERY BOX TYPE VI 744/DC 31-31 BATTERIES 12/0C 11/04, DIMENSIONS (LaHuP) 26/74/63.5 CA, 74/7, 31-31 12/0C SATTERY BOX VI TYPE BATTERY BOX TYPE VI 744/DC 31-31 BATTERIES 12/0C 11/04, DIMENSIONS (LaHuP) 26/74/63.5 CA, 74/7, 31-31 12/0C SATTERY BOX VI TYPE BATTERY BOX TYPE VI 744/DC 31-31 BATTERIES 12/0C 11/04, DIMENSIONS (LaHuP) 26/74/63.5 CA, 74/74/71 12/04 SATTERY BOX VI TYPE BATTERY BOX TYPE VI 74/04/DC 31-31 BATTERIES 12/0C 11/04, DIMENSIONS (LaHuP) 26/74/63.5 CA, 74/74/71 20/71 SATTERY BOX VI TYPE BATTERY BOX TYPE VI 47/4/DC 31-31 BATTERIES 12/0C 17/04, DIMENSIONS (LAHUP) 26/74/63.5 CA, 74/74/71 20/71 SATTERY BOX VIA TYPE BATTERY BOX TYPE VIA 74/04/DC 31-31 BATTERIES 12/0C 17/04, DIMENSIONS (LAHUP) 40.4 X 110.2 X 7-3 SATTERY BOX VIA TYPE BATTERY BOX TYPE VIA 74/04/DC, 31-31 BATTERIES 12/0C 17/04, DIMENSIONS (LAHUP) 40.4 X 110.2 X 7-3 SATTERY BOX VIA TYPE BATTERY BOX TYPE VIA 74/04/DC, 41-31 BATTERIES 12/0C 17/04, DIMENSIONS (LAHUP) 84/12/04/30 CA, 74/74/71 31 12/0C SATTERY BOX VIA TYPE BATTERY BOX TYPE VIA 74/04/DC, 31-31 BATTERIES 12/0C 20/04, DIMENSIONS (LAHUP) 84/12/04/30 CA, 74/74/71 31 12/0C SATTER</td> <td>Models Description In State BATTERN BOX VIT TYPE BATTERN FOOT TYPE VIT 2440PC 31-31 BATTERNES 12/0C 5041, DIMENSIONS (Lahar) 26074683.5 CA. 1 BATTERN FOOT TYPE Standard Warranty: 12 Months Electronic Parts / 12 Months Battery 1 BATTERN FOOT TYPE Standard Warranty: 12 Months Electronic Parts / 12 Months Battery 1 BATTERN FOOT TYPE BATTERN FOOT TYPE VIT 7440PC 31-31 BATTERNES 12/0C 11/MI, DIMENSIONS (Lahar) 26074683.5 CA. 1 MATTERN FOOT VIT TYPE BATTERN FOOT TYPE VIT 7440PC 31-31 BATTERNES 12/0C 11/MI, DIMENSIONS (Lahar) 26074683.5 CA. 1 MATTERN FOOT VIT TYPE BATTERN FOOT TYPE VIT 7440PC 31-31 BATTERNES 12/0C 11/MI, DIMENSIONS (Lahar) 26074683.5 CA. 1 MATTERN FOOT VIT TYPE BATTERN FOOT TYPE VIT 7440PC 31-31 BATTERNES 12/0C 17/MI, DIMENSIONS (Lahar) 26074693.5 CA. 1 MATTERN FOOT VIT TYPE BATTERN FOOT TYPE VIT 7440PC 31-31 BATTERNES 12/0C 17/MI, DIMENSIONS (Lahar) 26074693.5 CA. 1 MATTERN FOOT VIT TYPE BATTERN FOOT TYPE VIT 7440PC 31-31 BATTERNES 12/0C 17/MI, DIMENSIONS (Lahar) 40.4 X 110.2 X 75.3 1 MATTERN FOOT VIT TYPE BATTERN FOOT TYPE VIT 7440PC 31-31 BATTERNES 12/0C 17/MI, DIMENSIONS (Lahar) 40.4 X 110.2 X 75.3 1 MATTERN FOOT VIT TYPE BATTERN FOOT TYPE VIT 74400C TYPE VIT 7440PC 31-31 BATTERNES 12/0C 20/MI, DIMENSIO</td> <td>Install Description Patient MATTER NOT THE BATTER NOT THE VIDE THE VIDE THE VIDE THE TABLE STUDE SHILD BATTERES TUDE SHILD BATTERES STUDE SHILD BATTERE</td>	Models Description BATTERY BOX VI TYPE BATTERY BOX YFM 7447 BIX TAVDC 31-31 BATTERIES 12/0C 944, DIMENSIONS (LaHuP) 26/74/63.5 CA, 2747, 31-31 DATTERY DOX YI TYPE SATTERY TYPE Standard Warranty: 12 Months Electronic Parts / 12 Months Battery SATTERY BOX VI TYPE BATTERY BOX TYPE VI 744/DC 31-31 BATTERIES 12/0C 11/04, DIMENSIONS (LaHuP) 26/74/63.5 CA, 74/7, 31-31 12/0C SATTERY BOX VI TYPE BATTERY BOX TYPE VI 744/DC 31-31 BATTERIES 12/0C 11/04, DIMENSIONS (LaHuP) 26/74/63.5 CA, 74/7, 31-31 12/0C SATTERY BOX VI TYPE BATTERY BOX TYPE VI 744/DC 31-31 BATTERIES 12/0C 11/04, DIMENSIONS (LaHuP) 26/74/63.5 CA, 74/74/71 12/04 SATTERY BOX VI TYPE BATTERY BOX TYPE VI 74/04/DC 31-31 BATTERIES 12/0C 11/04, DIMENSIONS (LaHuP) 26/74/63.5 CA, 74/74/71 20/71 SATTERY BOX VI TYPE BATTERY BOX TYPE VI 47/4/DC 31-31 BATTERIES 12/0C 17/04, DIMENSIONS (LAHUP) 26/74/63.5 CA, 74/74/71 20/71 SATTERY BOX VIA TYPE BATTERY BOX TYPE VIA 74/04/DC 31-31 BATTERIES 12/0C 17/04, DIMENSIONS (LAHUP) 40.4 X 110.2 X 7-3 SATTERY BOX VIA TYPE BATTERY BOX TYPE VIA 74/04/DC, 31-31 BATTERIES 12/0C 17/04, DIMENSIONS (LAHUP) 40.4 X 110.2 X 7-3 SATTERY BOX VIA TYPE BATTERY BOX TYPE VIA 74/04/DC, 41-31 BATTERIES 12/0C 17/04, DIMENSIONS (LAHUP) 84/12/04/30 CA, 74/74/71 31 12/0C SATTERY BOX VIA TYPE BATTERY BOX TYPE VIA 74/04/DC, 31-31 BATTERIES 12/0C 20/04, DIMENSIONS (LAHUP) 84/12/04/30 CA, 74/74/71 31 12/0C SATTER	Models Description In State BATTERN BOX VIT TYPE BATTERN FOOT TYPE VIT 2440PC 31-31 BATTERNES 12/0C 5041, DIMENSIONS (Lahar) 26074683.5 CA. 1 BATTERN FOOT TYPE Standard Warranty: 12 Months Electronic Parts / 12 Months Battery 1 BATTERN FOOT TYPE Standard Warranty: 12 Months Electronic Parts / 12 Months Battery 1 BATTERN FOOT TYPE BATTERN FOOT TYPE VIT 7440PC 31-31 BATTERNES 12/0C 11/MI, DIMENSIONS (Lahar) 26074683.5 CA. 1 MATTERN FOOT VIT TYPE BATTERN FOOT TYPE VIT 7440PC 31-31 BATTERNES 12/0C 11/MI, DIMENSIONS (Lahar) 26074683.5 CA. 1 MATTERN FOOT VIT TYPE BATTERN FOOT TYPE VIT 7440PC 31-31 BATTERNES 12/0C 11/MI, DIMENSIONS (Lahar) 26074683.5 CA. 1 MATTERN FOOT VIT TYPE BATTERN FOOT TYPE VIT 7440PC 31-31 BATTERNES 12/0C 17/MI, DIMENSIONS (Lahar) 26074693.5 CA. 1 MATTERN FOOT VIT TYPE BATTERN FOOT TYPE VIT 7440PC 31-31 BATTERNES 12/0C 17/MI, DIMENSIONS (Lahar) 26074693.5 CA. 1 MATTERN FOOT VIT TYPE BATTERN FOOT TYPE VIT 7440PC 31-31 BATTERNES 12/0C 17/MI, DIMENSIONS (Lahar) 40.4 X 110.2 X 75.3 1 MATTERN FOOT VIT TYPE BATTERN FOOT TYPE VIT 7440PC 31-31 BATTERNES 12/0C 17/MI, DIMENSIONS (Lahar) 40.4 X 110.2 X 75.3 1 MATTERN FOOT VIT TYPE BATTERN FOOT TYPE VIT 74400C TYPE VIT 7440PC 31-31 BATTERNES 12/0C 20/MI, DIMENSIO	Install Description Patient MATTER NOT THE BATTER NOT THE VIDE THE VIDE THE VIDE THE TABLE STUDE SHILD BATTERES TUDE SHILD BATTERES STUDE SHILD BATTERE				

UPS ONLINE THREE PHASE

BATTERY BOX F Code	OR EVO DSP TM AI Models	ND TT Description	Pcs for pack.	Pcs for Pallet	End User Price
FBBV33/100	BATTERY BOX V33 TYPE 372V, 31 X 12VDC	BATTERY BOX TYPE V33 372VDC, 31 BATTERIES 12VDC 100AH, DIMENSIONS (LxHxP) 84x120x130 CM, WEIGHT 1100 KG Standard Warranty: 12 Months Electronic Parts / 12 Months Battery	1		13.556,00
		ACCESSORIES FOR UPS			
COMMUNICATIO	N INTERFACES		Pcs for	Pcs for	End User
Code FGCNETAG7	Models INTERNAL SNMP INTERFACE FOR UPS EVO DSP MM 1.2-2.4-3.6 6.0-10.0	Description INTERNAL SNMP INTERFACE COMPATIBLE WITH EVO DSP MM 1.2-2.4-3.6-6.0-10.0-6.0 RM-10.0 RM UPS, READY TO INSTALL IN APPROPRIATE SLOT, ALLOWS THE CONNECTION AND CONFIGURATION IN A LAN, INCLUDES CD WITH MANAGEMENT SOFTWARE: NETILITY, CLIENTMATE, SNMPVIEW, SMS SERVER, TIME SERVER, UPS MIB Standard Warranty: 24 Months	pack. 1	Pallet	Price € 232,00
FGCNETAG2IN	INTERNAL SNMP	INTERNAL SNMP INTERFACE COMPATIBLE WITH EVO 1-3 KVA, EVO 4-15 KVA, EVO TM 6-15 KVA, EVO RT 1-3 KVA UPS, READY TO INSTALL IN APPROPRIATE ARRANGEMENT, ALLOWS THE CONNECTION AND	1		€ 232,00
80 26475 10257 7	FOR UPS EVO 1- PHASE/1-PHASE	CONFIGURATION IN A LAN, INCLUDES CD WITH MANAGEMENT SOFTWARE: NETILITY, CLIENTMATE, SNMPVIEW, SMS SERVER, TIME SERVER, UPS MIB Standard Warranty: 24 Months			
FGCNETAG2	EXTERNAL SNMP INTERFACE NET AGENT FOR UPS 1-PHASE/1- PHASE	EXTERNAL SNMP INTERFACE COMPATIBLE WITH SINGLE-PHASE/SINGLE-PHASE UPS, READY TO CONNECT TO THE RS232 PORT OF THE UPS, ALLOWS THE CONNECTION AND CONFIGURATION IN A LAN, INCLUDES EXTERNAL POWER SUPPLY AND CD WITH MANAGEMENT SOFTWARE: NETILITY, CLIENTMATE, SNMPVIEW, SMS SERVER, TIME SERVER, UPS MIB Standard Warranty: 24 Months	. 1	-	€ 295,00
80 26475 10255 3					
FGCNETAG6	INTERNAL SNMP CARD FOR UPS EVO DSP	INTERNAL SNMP INTERFACE (GENEREX MOD. CS121BSC) COMPATIBLE WITH EVO DSP TM AND TT UPS, READY TO INSTALL IN APPROPRIATE SLOT, ALLOWS THE CONNECTION AND CONFIGURATION IN A LAN Standard Warranty: 12 Months	1		€ 633,00
FGCSWUMSU	UPSMAN CD TO INTERFACE WITH EVO DSP TM-TT UPS, SINGLE USER	UPSMAN CD INCLUDING UPSMAN SOFTWARE TO INTERFACE WITH EVO DSP TM AND TT VIA SNMP MODULE, RCCMD SOFTWARE AND N. 1 LICENCE FOR CLIENT MANAGEMENT Standard Warranty: 12 Months	1	1	€ 123,00
FGCSWUMMS	RCCMD CLIENT LICENCE	LICENCE FOR RCCMD SOFTWARE TO MANAGEMENT CLIENT, TO COMBINE WITH COD. FGCSWUMSU, ESSENTIAL FOR EACH CLIENT INSTALLATION Standard Warranty: 12 Months	1	1	€ 74,00 RCCMD
FGCEVODSRP1	REMOTE MONITORING PANEL FOR UPS EVO DSP TM-TT	REMOTE PANEL FOR EVO DSP TM AND TT, POWERED BY AC MAINS, INTERNAL BATTERY TO ENSURE THE CORRECT FUNCTIONING IN CASE OF BLACKOUT, COMPLETE CONTROL OF UPS AND INTERACTION WITH UPS BY REMOTING LCD AND LED DISPLAY TO VISUALIZE UPS OPERATING MODES Standard Warranty: 12 Months	1		€ 609,00
FGCEVODSCARP1	CABLE 25M FOR REMOTE MONITORING PANEL FOR EVO DSP TM-TT	CABLE FOR EVO DSP TM AND TT REMOTE PANEL, 25 MT, TO CONNECT REMOTE CONTROL PANEL TO UPS Standard Warranty: 12 Months	1		€ 147,00

ACCESSORIES FOR UPS

		ACCESSORIES FOR UPS			
COMMUNICATI Code	ON INTERFACES Models	Description	Pcs for pack.	Pcs for Pallet	End User Price
FGCEVODRY1	DRY CONTACTS BOARD FOR EVO1-2-3	INTERNAL DRY CONTACT INTERFACE FOR EVO 1-3 KVA, EVO RT 1-3 KVA UPS, READY TO INSTALL IN APPROPRIATE ARRANGEMENT, 4 RELAY CONTACTS (AC FAIL, LOW BAT, BYPASS, FAULT CONDITIONS), FREE OF VOLTAGE, OPEN OR CLOSED Standard Warranty: 24 Months	1		€ 24,70
FGCEVODRY2	DRY CONTACTS BOARD FOR EVO4-15	INTERNAL DRY CONTACT INTERFACE FOR EVO 4-15 KVA, EVO TM 6-15 KVA UPS, READY TO INSTALL IN APPROPRIATE ARRANGEMENT, 4 RELAY CONTACTS (AC FAIL, LOW BAT, BYPASS, FAULT CONDITIONS), FREE OF VOLTAGE, OPEN OR CLOSED Standard Warranty: 24 Months	1		€ 38,70
FGCEVODSDRY3	DRY CONTACT INTERFACE FOR EVO DSP MM 1.2-2.4-3.6-6.0- 10.0	INTERNAL DRY CONTACT INTERFACE FOR EVO DSP MM 1.2-2.4-3.6-6.0-10.0-6.0 RM-10.0 RM UPS, READY TO INSTALL IN APPROPRIATE SLOT, 4 RELAY CONTACTS (AC FAIL, LOW BAT, BYPASS, FAULT CONDITIONS), FREE OF VOLTAGE, OPEN OR CLOSED Standard Warranty: 24 Months	′ 1		€ 211,00
					CR.
BYPASS BOX			Pcs for	Pcs for	End User
Code FGCBYPIEC	Models BYPASS BOX FOR EVO	Description EXTERNAL MAINTENANCE BYPASS BOX - ONLY FOR UPS EVO AND UPS EVO RACK TOWER UP TO 3KVA:	pack.	Pallet	Price
FGCDIFIEC	1.0/2.0/3.0 TOWER/RACK-TOWER	EATERNAL MAINTENANCE BITASS BOX - ONE FOR OPS EVO AND OPS EVO RAND OPS			€ 128,00
FGCBYPMM	BYPASS BOX FOR UPS	EXTERNAL MAINTENANCE BYPASS BOX - ONLY FOR EVO 4-6 KVA UPS, INPUT/OUTPUT CONNECTIONS BY	1		€ 594,00
	SINGLE PHASE 4-6KVA	SCREWS ON TERMINAL BLOCKS, ABS CASE, WALL MOUNTING Standard Warranty: 12 Months			
FGCBYP10MM2	BYPASS BOX FOR EVO DSP MM SINGLE PHASE INPUT 2 SIGLE PHASE OUTPUT 6-10KVA	EXTERNAL MAINTENANCE BYPASS BOX FOR EVO DSP MM 6-10 KVA, INPUT SINGLE-PHASE, 2 OUTPUT SINGLE-PHASE, TERMINAL BLOCK FOR INPUT AND OUTPUT CONNECTION, THE AUXILIARY CONTACT IS CLOSED EITHER OPENING THE BYPASS BOX DOOR OR BYPASS SWITCH IS ON, ABS CASE, WALL MOUNTING Standard Warranty: 12 Months	1 G	(£ 1.202,00
FGCBYP10MMRM	BYPASS BOX FOR EVO DSP MM 6-10KVA RACK MOUNT	EXTERNAL MAINTENANCE BYPASS BOX, FOR EVO DSP MM RACK MOUNT 6-10 KVA UPS, TERMINAL BLOCK FOR INPUT AND OUTPUT CONNECTION, THE AUXILIARY CONTACT IS OPENED EITHER OPENING THE BYPASS SWITCH COVER, INCLUDING ALL THE ACCESSORIES FOR 19" RACK MOUNTING (2U HEIGHT), METAL CASE, BLACK COLOUR. Standard Warranty: 12 Months	1	•	£ 1.202,00
				٩	
FGCBYP10TM	BYPASS BOX FOR EVO DSP TM 10KVA	EXTERNAL MAINTENANCE BYPASS BOX FOR EVO DSP TM 10 KVA, TERMINAL BLOCK FOR INPUT AND OUTPUT CONNECTION, THE AUXILIARY CONTACT IS CLOSED EITHER OPENING THE BYPASS BOX DOOR O BYPASS SWITCH IS ON, ABS CASE, WALL MOUNTING Standard Warranty: 12 Months	1 R	(٤ 1.202,00
FGCBYP20TM	BYPASS BOX FOR EVO DSP TM 15-20KVA	EXTERNAL MAINTENANCE BYPASS BOX FOR EVO DSP TM 15-20 KVA, TERMINAL BLOCK FOR INPUT AND OUTPUT CONNECTION, THE AUXILIARY CONTACT IS CLOSED EITHER OPENING THE BYPASS BOX DOOR O BYPASS SWITCH IS ON, ABS CASE, WALL MOUNTING Standard Warranty: 12 Months	1 R	(2.954,00

		ACCESSORIES FOR UPS			
BYPASS BOX			Pcs for	Pcs for	
Code	Models	Description	pack.	Pallet	Price
FGCBYP30TM	BYPASS BOX FOR EVO DSP TM 30KVA	EXTERNAL MAINTENANCE BYPASS BOX FOR EVO DSP TM 30 KVA, TERMINAL BLOCK FOR INPUT AND OUTPUT CONNECTION, THE AUXILIARY CONTACT IS CLOSED EITHER OPENING THE BYPASS BOX DOOR OF BYPASS SWITCH IS ON, METAL CASE, WALL MOUNTING Standard Warranty: 12 Months	1		€ 6.218,00
FGCBYP30TT	BYPASS BOX FOR EVO DSP TT 10-30KVA	EXTERNAL MAINTENANCE BYPASS BOX FOR EVO DSP TT 10-30 KVA, TERMINAL BLOCK FOR INPUT AND OUTPUT CONNECTION, THE AUXILIARY CONTACT IS CLOSED EITHER OPENING THE BYPASS BOX DOOR OF BYPASS SWITCH IS ON, METAL CASE, WALL MOUNTING Standard Warranty: 12 Months	1		€ 1.944,00
FGCBYP60TT	BYPASS BOX FOR EVO DSP TT 40-60KVA	EXTERNAL MAINTENANCE BYPASS BOX FOR EVO DSP TT 40-60 KVA, TERMINAL BLOCK FOR INPUT AND OUTPUT CONNECTION, THE AUXILIARY CONTACT IS CLOSED EITHER OPENING THE BYPASS BOX DOOR OF BYPASS SWITCH IS ON, METAL CASE, WALL MOUNTING Standard Warranty: 12 Months	1		€ 5.053,00
FGCBYP80TT	BYPASS BOX FOR EVO DSP TT 80KVA	EXTERNAL MAINTENANCE BYPASS BOX FOR EVO DSP TT 80 KVA, TERMINAL BLOCK FOR INPUT AND OUTPUT CONNECTION, THE AUXILIARY CONTACT IS CLOSED EITHER OPENING THE BYPASS BOX DOOR OF BYPASS SWITCH IS ON, METAL CASE, WALL MOUNTING Standard Warranty: 12 Months	1		€ 5.829,00
FGCBYP100TT	BYPASS BOX FOR EVO DSP TT 100KVA	EXTERNAL MAINTENANCE BYPASS BOX FOR EVO DSP TT 100 KVA, TERMINAL BLOCK FOR INPUT AND OUTPUT CONNECTION, THE AUXILIARY CONTACT IS CLOSED EITHER OPENING THE BYPASS BOX DOOR OF BYPASS SWITCH IS ON, METAL CASE, WALL MOUNTING Standard Warranty: 12 Months	1		€ 8.937,00
RACK MOUNT KI	τ		<u> </u>		
	Models KIT RACK POSITIONING FOR UPS AND BATTERY BOX		Pcs for pack. 1	Pcs for Pallet	End User Price € 85,00
80 26475 16091 1				4	No.
PARALLEL KIT			Pcs for	Pcs for	End User
Code FGCKITPAREVODSP2	Models PARALLEL KIT FOR EVO DSP MM 6.0	Description PARALLEL KIT FOR EVO DSP MM 6.0, FOR UPS PARALLEL CONFIGURATION, READY TO INSTALL IN APPROPRIATE ARRANGEMENT Standard Warranty: 24 Months	pack. 1	Pallet	Price € 126,00
					ANTEPRIMA NON DISPONIBILE
FGCKITPAREVODSP3	PARALLEL KIT FOR EVO DSP MM 10.0	PARALLEL KIT FOR EVO DSP MM 10.0, FOR UPS PARALLEL CONFIGURATION, READY TO INSTALL IN APPROPRIATE ARRANGEMENT Standard Warranty: 24 Months	1		€ 126,00
					ANTEPRIMA NON DISPONIBILE
CABLES Code	Models	Description	Pcs for pack.	Pcs for Pallet	End User Price
FCARII	UPS OUTLET IEC TO ITALIAN 10A TYPE ADAPTER	IEC SOCKET TO ITALY PLUG POWER ADAPTER, TO CONNECT ANY IEC TYPE UPS OUTPUT SOCKET TO A DEVICE WITH ITALY TYPE PLUG (FOR EXAMPLE THE DEVICES WITH EXTERNAL POWER SUPPLY LIKE LCD MONITOR, SCANNER, MODEM, ETC);, LENGHT: 20 CM	10		€ 9,40

ACCESSORIES FOR UPS

		ACCESSORIES FOR UPS				
ISOLATION TRAN	NSFORMER Models	Description	Pcs for pack.	Pcs fo Pallet		End User Price
FGCIT80DSP	ISOLATION TRANSFORMER FOR EVO DSP 80.0 TT	ISOLATION TRANSFORMER FOR EVO DSP 80.0 TT Standard Warranty: 12 Months	1		€	5.771,00
FGCIT100DSP	ISOLATION TRANSFORMER FOR EVO DSP 100.0 TT	ISOLATION TRANSFORMER FOR EVO DSP 100.0 TT Standard Warranty: 12 Months	1		€	6.679,00
		STABILIZER				
POWER REG	Models	Description	Pcs for pack.	Pcs fo Pallet		End User Price
FAVPRE3	1500 VA	STABILIZER, POWER 1500 VA (C.FI 0.7), AVR TECHNOLOGY, SINGLE-PHASE INPUT/OUTPUT, 220/230 V, 50/60 Hz, STABILIZATION THROUGHT AVR, RJ45/RJ11 FILTERED PHONE PLUG, DIMENSIONS 11x17.5x15 CM, WEIGHT 2.3 KG, INPUT POWER CORD WITH SCHUKO PLUG, 2 SCHUKO TYPE OUTLETS,. Standard Warranty: 24 Months	8	288		€ 65,00
80 26475 15002 8						